

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
24.40	3.10							✓		
29.40	3.10							✓		
34.40	3.10							✓		
39.40	3.10							✓		
44.40	3.10							✓		
49.40	3.10							✓		
54.40	3.10							✓		
59.40	3.10							✓		
64.40	3.10							✓		
69.40	3.10							✓		
74.40	3.10							✓		
79.40	3.10							✓		
84.40	3.10							✓		
89.40	3.10							✓		
94.40	3.10							✓		
99.40	3.10							✓		
104.40	3.10							✓		
109.40	3.10							✓		
114.40	3.10							✓		
119.40	3.10							✓		
124.40	3.10							✓		
129.40	3.10							✓		
134.40	3.10							✓		
139.40	3.10							✓		
144.40	3.10							✓		
8.00	3.50									
9.00	3.50									
10.00	3.50									
11.00	3.50									
12.00	3.50									
13.00	3.50									
14.00	3.50									
15.00	3.50									
16.00	3.50									
17.00	3.50									
18.00	3.50									
19.00	3.50									
20.00	3.50									
21.00	3.50									
21.70	3.50							✓		
22.00	3.50									
22.10	3.50							✓		
23.00	3.50									
23.70	3.50							✓		
24.00	3.50									
24.70	3.50							✓		

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
25.00	3.50									
25.20	3.50							✓		
25.70	3.50							✓		
26.00	3.50									
27.00	3.50									
27.70	3.50							✓		
28.00	3.50									
28.70	3.50							✓		
29.00	3.50									
29.20	3.50							✓		
29.70	3.50							✓		
30.00	3.50									
30.70	3.50							✓		
31.00	3.50									
31.20	3.50							✓		
31.70	3.50							✓		
32.00	3.50									
33.00	3.50									
33.70	3.50							✓		
34.00	3.50									
34.70	3.50							✓		
35.00	3.50									
35.20	3.50							✓		
35.70	3.50							✓		
36.00	3.50									
37.00	3.50									
37.70	3.50							✓		
38.00	3.50									
38.70	3.50							✓		
39.00	3.50									
39.70	3.50							✓		
40.00	3.50									
40.70	3.50							✓		
41.00	3.50									
41.70	3.50							✓		
42.00	3.50									
43.00	3.50									
43.70	3.50							✓		
44.00	3.50									
44.70	3.50							✓		
45.00	3.50									
45.70	3.50							✓		
46.00	3.50									
47.00	3.50									
47.70	3.50							✓		
48.00	3.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
48.70	3.50							✓		
49.00	3.50									
49.70	3.50							✓		
50.00	3.50									
51.00	3.50									
52.00	3.50									
53.00	3.50									
54.00	3.50									
55.00	3.50									
56.00	3.50									
57.00	3.50									
58.00	3.50									
59.00	3.50									
60.00	3.50									
61.00	3.50									
62.00	3.50									
63.00	3.50									
64.00	3.50									
65.00	3.50									
66.00	3.50									
67.00	3.50									
68.00	3.50									
69.00	3.50									
70.00	3.50									
71.00	3.50									
72.00	3.50									
73.00	3.50									
74.00	3.50									
75.00	3.50									
76.00	3.50									
77.00	3.50									
78.00	3.50									
79.00	3.50									
80.00	3.50									
81.00	3.50									
82.00	3.50									
83.00	3.50									
84.00	3.50									
85.00	3.50									
86.00	3.50									
87.00	3.50									
88.00	3.50									
89.00	3.50									
90.00	3.50									
91.00	3.50									
92.00	3.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
93.00	3.50									
94.00	3.50									
95.00	3.50									
96.00	3.50									
97.00	3.50									
98.00	3.50									
99.00	3.50									
100.00	3.50									
101.00	3.50									
102.00	3.50									
103.00	3.50									
104.00	3.50									
105.00	3.50									
106.00	3.50									
107.00	3.50									
108.00	3.50									
109.00	3.50									
110.00	3.50									
111.00	3.50									
112.00	3.50									
113.00	3.50									
114.00	3.50									
115.00	3.50									
116.00	3.50									
117.00	3.50									
118.00	3.50									
119.00	3.50									
120.00	3.50									
121.00	3.50									
122.00	3.50									
123.00	3.50									
124.00	3.50									
125.00	3.50									
126.00	3.50									
127.00	3.50									
128.00	3.50									
129.00	3.50									
130.00	3.50									
131.00	3.50									
132.00	3.50									
133.00	3.50									
134.00	3.50									
135.00	3.50									
136.00	3.50									
137.00	3.50									
138.00	3.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
139.00	3.50									
140.00	3.50									
141.00	3.50									
142.00	3.50									
143.00	3.50									
144.00	3.50									
145.00	3.50									
146.00	3.50									
147.00	3.50									
148.00	3.50									
149.00	3.50									
150.00	3.50									
151.00	3.50									
152.00	3.50									
153.00	3.50									
154.00	3.50									
155.00	3.50									
156.00	3.50									
157.00	3.50									
158.00	3.50									
159.00	3.50									
160.00	3.50									
161.00	3.50									
162.00	3.50									
163.00	3.50									
164.00	3.50									
165.00	3.50									
166.00	3.50									
167.00	3.50									
168.00	3.50									
169.00	3.50									
170.00	3.50									
171.00	3.50									
172.00	3.50									
173.00	3.50									
174.00	3.50									
175.00	3.50									
176.00	3.50									
177.00	3.50									
178.00	3.50									
179.00	3.50									
180.00	3.50									
181.00	3.50									
182.00	3.50									
183.00	3.50									
184.00	3.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
185.00	3.50									
186.00	3.50									
187.00	3.50									
188.00	3.50									
189.00	3.50									
190.00	3.50									
191.00	3.50									
192.00	3.50									
193.00	3.50									
194.00	3.50									
195.00	3.50									
196.00	3.50									
197.00	3.50									
198.00	3.50									
199.00	3.50									
200.00	3.50									
201.00	3.50									
202.00	3.50									
203.00	3.50									
204.00	3.50									
205.00	3.50									
206.00	3.50									
207.00	3.50									
208.00	3.50									
209.00	3.50									
210.00	3.50									
211.00	3.50									
212.00	3.50									
213.00	3.50									
214.00	3.50									
215.00	3.50									
216.00	3.50									
217.00	3.50									
218.00	3.50									
219.00	3.50									
220.00	3.50									
221.00	3.50									
222.00	3.50									
223.00	3.50									
224.00	3.50									
225.00	3.50									
226.00	3.50									
227.00	3.50									
228.00	3.50									
229.00	3.50									
230.00	3.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
231.00	3.50									
232.00	3.50									
233.00	3.50									
234.00	3.50									
235.00	3.50									
236.00	3.50									
237.00	3.50									
238.00	3.50									
239.00	3.50									
240.00	3.50									
241.00	3.50									
242.00	3.50									
243.00	3.50									
244.00	3.50									
245.00	3.50									
246.00	3.50									
247.00	3.50									
248.00	3.50									
249.00	3.50									
250.00	3.50									
251.00	3.50									
252.00	3.50									
253.00	3.50									
254.00	3.50									
255.00	3.50									
256.00	3.50									
257.00	3.50									
258.00	3.50									
259.00	3.50									
260.00	3.50									
261.00	3.50									
262.00	3.50									
263.00	3.50									
264.00	3.50									
265.00	3.50									
266.00	3.50									
267.00	3.50									
268.00	3.50									
269.00	3.50									
270.00	3.50									
271.00	3.50									
272.00	3.50									
273.00	3.50									
274.00	3.50									
275.00	3.50									
276.00	3.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
277.00	3.50									
278.00	3.50									
279.00	3.50									
280.00	3.50									
281.00	3.50									
282.00	3.50									
283.00	3.50									
284.00	3.50									
285.00	3.50									
286.00	3.50									
287.00	3.50									
288.00	3.50									
289.00	3.50									
290.00	3.50									
291.00	3.50									
292.00	3.50									
293.00	3.50									
294.00	3.50									
295.00	3.50									
296.00	3.50									
297.00	3.50									
298.00	3.50									
299.00	3.50									
300.00	3.50									
301.00	3.50									
302.00	3.50									
303.00	3.50									
304.00	3.50									
305.00	3.50									
306.00	3.50									
307.00	3.50									
308.00	3.50									
309.00	3.50									
310.00	3.50									
311.00	3.50									
312.00	3.50									
313.00	3.50									
314.00	3.50									
315.00	3.50									
316.00	3.50									
317.00	3.50									
318.00	3.50									
319.00	3.50									
320.00	3.50									
321.00	3.50									
322.00	3.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
323.00	3.50									
324.00	3.50									
325.00	3.50									
326.00	3.50									
327.00	3.50									
328.00	3.50									
329.00	3.50									
330.00	3.50									
331.00	3.50									
332.00	3.50									
333.00	3.50									
334.00	3.50									
335.00	3.50									
336.00	3.50									
337.00	3.50									
338.00	3.50									
339.00	3.50									
340.00	3.50									
341.00	3.50									
342.00	3.50									
343.00	3.50									
344.00	3.50									
345.00	3.50									
346.00	3.50									
347.00	3.50									
348.00	3.50									
349.00	3.50									
350.00	3.50									
351.00	3.50									
352.00	3.50									
353.00	3.50									
354.00	3.50									
355.00	3.50									
356.00	3.50									
357.00	3.50									
358.00	3.50									
359.00	3.50									
360.00	3.50									
361.00	3.50									
362.00	3.50									
363.00	3.50									
364.00	3.50									
365.00	3.50									
366.00	3.50									
367.00	3.50									
368.00	3.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
369.00	3.50									
370.00	3.50									
371.00	3.50									
372.00	3.50									
373.00	3.50									
374.00	3.50									
375.00	3.50									
376.00	3.50									
377.00	3.50									
378.00	3.50									
379.00	3.50									
380.00	3.50									
381.00	3.50									
382.00	3.50									
383.00	3.50									
384.00	3.50									
385.00	3.50									
386.00	3.50									
387.00	3.50									
388.00	3.50									
389.00	3.50									
390.00	3.50									
391.00	3.50									
392.00	3.50									
393.00	3.50									
394.00	3.50									
395.00	3.50									
396.00	3.50									
397.00	3.50									
398.00	3.50									
399.00	3.50									
400.00	3.50									
401.00	3.50									
402.00	3.50									
403.00	3.50									
404.00	3.50									
405.00	3.50									
406.00	3.50									
407.00	3.50									
408.00	3.50									
409.00	3.50									
410.00	3.50									
411.00	3.50									
412.00	3.50									
413.00	3.50									
414.00	3.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
415.00	3.50									
416.00	3.50									
417.00	3.50									
418.00	3.50									
419.00	3.50									
420.00	3.50									
421.00	3.50									
422.00	3.50									
423.00	3.50									
424.00	3.50									
425.00	3.50									
426.00	3.50									
427.00	3.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
428.00	3.50									
429.00	3.50									
430.00	3.50									
431.00	3.50									
432.00	3.50									
433.00	3.50									
434.00	3.50									
435.00	3.50									
436.00	3.50									
437.00	3.50									
438.00	3.50									
439.00	3.50									
440.00	3.50									