

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
4.00	5.00									
5.00	5.00									
6.00	5.00									
7.00	5.00									
8.00	5.00									
9.00	5.00									
10.00	5.00									
11.00	5.00									
12.00	5.00									
13.00	5.00									
14.00	5.00									
15.00	5.00									
16.00	5.00									
17.00	5.00									
18.00	5.00									
19.00	5.00									
20.00	5.00									
21.00	5.00									
22.00	5.00									
23.00	5.00									
24.00	5.00									
25.00	5.00									
26.00	5.00									
27.00	5.00									
28.00	5.00									
29.00	5.00									
30.00	5.00									
31.00	5.00									
32.00	5.00									
33.00	5.00									
34.00	5.00									
35.00	5.00									
36.00	5.00									
37.00	5.00									
38.00	5.00									
39.00	5.00									
40.00	5.00									
41.00	5.00									
42.00	5.00									
43.00	5.00									
44.00	5.00									
45.00	5.00									
46.00	5.00									
47.00	5.00									
48.00	5.00									
49.00	5.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
50.00	5.00									
51.00	5.00									
52.00	5.00									
53.00	5.00									
54.00	5.00									
55.00	5.00									
56.00	5.00									
57.00	5.00									
58.00	5.00									
59.00	5.00									
60.00	5.00									
61.00	5.00									
62.00	5.00									
63.00	5.00									
64.00	5.00									
65.00	5.00									
66.00	5.00									
67.00	5.00									
68.00	5.00									
69.00	5.00									
70.00	5.00									
71.00	5.00									
72.00	5.00									
73.00	5.00									
74.00	5.00									
75.00	5.00									
76.00	5.00									
77.00	5.00									
78.00	5.00									
79.00	5.00									
80.00	5.00									
81.00	5.00									
82.00	5.00									
83.00	5.00									
84.00	5.00									
85.00	5.00									
86.00	5.00									
87.00	5.00									
88.00	5.00									
89.00	5.00									
90.00	5.00									
91.00	5.00									
92.00	5.00									
93.00	5.00									
94.00	5.00									
95.00	5.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
96.00	5.00									
97.00	5.00									
98.00	5.00									
99.00	5.00									
100.00	5.00									
101.00	5.00									
102.00	5.00									
103.00	5.00									
104.00	5.00									
105.00	5.00									
106.00	5.00									
107.00	5.00									
108.00	5.00									
109.00	5.00									
110.00	5.00									
111.00	5.00									
112.00	5.00									
113.00	5.00									
114.00	5.00									
115.00	5.00									
116.00	5.00									
117.00	5.00									
118.00	5.00									
119.00	5.00									
120.00	5.00									
121.00	5.00									
122.00	5.00									
123.00	5.00									
124.00	5.00									
125.00	5.00									
126.00	5.00									
127.00	5.00									
128.00	5.00									
129.00	5.00									
130.00	5.00									
131.00	5.00									
132.00	5.00									
133.00	5.00									
134.00	5.00									
135.00	5.00									
136.00	5.00									
137.00	5.00									
138.00	5.00									
139.00	5.00									
140.00	5.00									
141.00	5.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
142.00	5.00									
143.00	5.00									
144.00	5.00									
145.00	5.00									
146.00	5.00									
147.00	5.00									
148.00	5.00									
149.00	5.00									
150.00	5.00									
151.00	5.00									
152.00	5.00									
153.00	5.00									
154.00	5.00									
155.00	5.00									
156.00	5.00									
157.00	5.00									
158.00	5.00									
159.00	5.00									
160.00	5.00									
161.00	5.00									
162.00	5.00									
163.00	5.00									
164.00	5.00									
165.00	5.00									
166.00	5.00									
167.00	5.00									
168.00	5.00									
169.00	5.00									
170.00	5.00									
171.00	5.00									
172.00	5.00									
173.00	5.00									
174.00	5.00									
175.00	5.00									
176.00	5.00									
177.00	5.00									
178.00	5.00									
179.00	5.00									
180.00	5.00									
181.00	5.00									
182.00	5.00									
183.00	5.00									
184.00	5.00									
185.00	5.00									
186.00	5.00									
187.00	5.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
188.00	5.00									
189.00	5.00									
190.00	5.00									
191.00	5.00									
192.00	5.00									
193.00	5.00									
194.00	5.00									
195.00	5.00									
196.00	5.00									
197.00	5.00									
198.00	5.00									
199.00	5.00									
200.00	5.00									
201.00	5.00									
202.00	5.00									
203.00	5.00									
204.00	5.00									
205.00	5.00									
206.00	5.00									
207.00	5.00									
208.00	5.00									
209.00	5.00									
210.00	5.00									
211.00	5.00									
212.00	5.00									
213.00	5.00									
214.00	5.00									
215.00	5.00									
216.00	5.00									
217.00	5.00									
218.00	5.00									
219.00	5.00									
220.00	5.00									
221.00	5.00									
222.00	5.00									
223.00	5.00									
224.00	5.00									
225.00	5.00									
226.00	5.00									
227.00	5.00									
228.00	5.00									
229.00	5.00									
230.00	5.00									
231.00	5.00									
232.00	5.00									
233.00	5.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
234.00	5.00									
235.00	5.00									
236.00	5.00									
237.00	5.00									
238.00	5.00									
239.00	5.00									
240.00	5.00									
241.00	5.00									
242.00	5.00									
243.00	5.00									
244.00	5.00									
245.00	5.00									
246.00	5.00									
247.00	5.00									
248.00	5.00									
249.00	5.00									
250.00	5.00									
251.00	5.00									
252.00	5.00									
253.00	5.00									
254.00	5.00									
255.00	5.00									
256.00	5.00									
257.00	5.00									
258.00	5.00									
259.00	5.00									
260.00	5.00									
261.00	5.00									
262.00	5.00									
263.00	5.00									
264.00	5.00									
265.00	5.00									
266.00	5.00									
267.00	5.00									
268.00	5.00									
269.00	5.00									
270.00	5.00									
271.00	5.00									
272.00	5.00									
273.00	5.00									
274.00	5.00									
275.00	5.00									
276.00	5.00									
277.00	5.00									
278.00	5.00									
279.00	5.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
280.00	5.00									
281.00	5.00									
282.00	5.00									
283.00	5.00									
284.00	5.00									
285.00	5.00									
286.00	5.00									
287.00	5.00									
288.00	5.00									
289.00	5.00									
290.00	5.00									
291.00	5.00									
292.00	5.00									
293.00	5.00									
294.00	5.00									
295.00	5.00									
296.00	5.00									
297.00	5.00									
298.00	5.00									
299.00	5.00									
300.00	5.00									
301.00	5.00									
302.00	5.00									
303.00	5.00									
304.00	5.00									
305.00	5.00									
306.00	5.00									
307.00	5.00									
308.00	5.00									
309.00	5.00									
310.00	5.00									
311.00	5.00									
312.00	5.00									
313.00	5.00									
314.00	5.00									
315.00	5.00									
316.00	5.00									
317.00	5.00									
318.00	5.00									
319.00	5.00									
320.00	5.00									
321.00	5.00									
322.00	5.00									
323.00	5.00									
324.00	5.00									
325.00	5.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
326.00	5.00									
327.00	5.00									
328.00	5.00									
329.00	5.00									
330.00	5.00									
331.00	5.00									
332.00	5.00									
333.00	5.00									
334.00	5.00									
335.00	5.00									
336.00	5.00									
337.00	5.00									
338.00	5.00									
339.00	5.00									
340.00	5.00									
341.00	5.00									
342.00	5.00									
343.00	5.00									
344.00	5.00									
345.00	5.00									
346.00	5.00									
347.00	5.00									
348.00	5.00									
349.00	5.00									
350.00	5.00									
351.00	5.00									
352.00	5.00									
353.00	5.00									
354.00	5.00									
355.00	5.00									
356.00	5.00									
357.00	5.00									
358.00	5.00									
359.00	5.00									
360.00	5.00									
361.00	5.00									
362.00	5.00									
363.00	5.00									
364.00	5.00									
365.00	5.00									
366.00	5.00									
367.00	5.00									
368.00	5.00									
369.00	5.00									
370.00	5.00									
371.00	5.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
372.00	5.00									
373.00	5.00									
374.00	5.00									
375.00	5.00									
376.00	5.00									
377.00	5.00									
378.00	5.00									
379.00	5.00									
380.00	5.00									
381.00	5.00									
382.00	5.00									
383.00	5.00									
384.00	5.00									
385.00	5.00									
386.00	5.00									
387.00	5.00									
388.00	5.00									
389.00	5.00									
390.00	5.00									
391.00	5.00									
392.00	5.00									
393.00	5.00									
394.00	5.00									
395.00	5.00									
396.00	5.00									
397.00	5.00									
398.00	5.00									
399.00	5.00									
400.00	5.00									
37.50	5.30			✓					✓	✓
38.70	5.30			✓					✓	✓
40.00	5.30		✓	✓	✓				✓	✓
41.20	5.30		✓	✓	✓				✓	✓
41.40	5.30									
42.50	5.30		✓	✓	✓				✓	✓
43.70	5.30		✓	✓	✓				✓	✓
45.00	5.30		✓	✓	✓				✓	✓
46.20	5.30		✓	✓	✓				✓	✓
47.50	5.30		✓	✓	✓				✓	✓
48.70	5.30		✓	✓	✓				✓	✓
50.00	5.30		✓	✓	✓				✓	✓
51.50	5.30		✓	✓	✓				✓	✓
53.00	5.30		✓	✓	✓				✓	✓
54.40	5.30									
54.50	5.30		✓	✓	✓				✓	✓
56.00	5.30		✓	✓	✓				✓	✓

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
58.00	5.30		✓	✓	✓				✓	✓
60.00	5.30		✓	✓	✓				✓	✓
61.50	5.30		✓	✓	✓				✓	✓
63.00	5.30		✓	✓	✓				✓	✓
65.00	5.30		✓	✓	✓				✓	✓
67.00	5.30		✓	✓	✓				✓	✓
69.00	5.30		✓	✓	✓				✓	✓
71.00	5.30		✓	✓	✓				✓	✓
73.00	5.30		✓	✓	✓				✓	✓
75.00	5.30		✓	✓	✓				✓	✓
77.50	5.30		✓	✓	✓				✓	✓
80.00	5.30		✓	✓	✓				✓	✓
82.50	5.30		✓	✓	✓				✓	✓
85.00	5.30		✓	✓	✓				✓	✓
87.50	5.30		✓	✓	✓				✓	✓
90.00	5.30		✓	✓	✓				✓	✓
92.50	5.30		✓	✓	✓				✓	✓
95.00	5.30		✓	✓	✓				✓	✓
97.50	5.30		✓	✓	✓				✓	✓
100.00	5.30		✓	✓	✓				✓	✓
103.00	5.30		✓	✓	✓				✓	✓
106.00	5.30		✓	✓	✓				✓	✓
109.00	5.30		✓	✓	✓				✓	✓
112.00	5.30		✓	✓	✓				✓	✓
115.00	5.30		✓	✓	✓				✓	✓
118.00	5.30		✓	✓	✓				✓	✓
122.00	5.30		✓	✓	✓				✓	✓
125.00	5.30		✓	✓	✓				✓	✓
128.00	5.30		✓	✓	✓				✓	✓
132.00	5.30		✓	✓	✓				✓	✓
136.00	5.30		✓	✓	✓				✓	✓
140.00	5.30		✓	✓	✓				✓	✓
142.50	5.30								✓	✓
145.00	5.30		✓	✓	✓				✓	✓
147.50	5.30				✓				✓	✓
150.00	5.30		✓	✓	✓				✓	✓
152.50	5.30								✓	✓
155.00	5.30		✓	✓	✓				✓	✓
157.50	5.30				✓					
160.00	5.30		✓	✓	✓				✓	✓
162.50	5.30								✓	✓
165.00	5.30		✓	✓	✓				✓	✓
167.50	5.30								✓	✓
170.00	5.30		✓	✓	✓				✓	✓
172.50	5.30								✓	✓
175.00	5.30		✓	✓	✓				✓	✓

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
177.50	5.30								✓	✓
180.00	5.30		✓	✓	✓				✓	✓
182.50	5.30				✓				✓	✓
185.00	5.30		✓	✓	✓				✓	✓
187.50	5.30				✓				✓	✓
190.00	5.30		✓	✓	✓				✓	✓
195.00	5.30		✓	✓	✓				✓	✓
200.00	5.30		✓	✓	✓				✓	✓
203.00	5.30								✓	✓
206.00	5.30		✓		✓				✓	✓
212.00	5.30		✓		✓				✓	✓
218.00	5.30		✓		✓				✓	✓
224.00	5.30		✓		✓				✓	✓
227.00	5.30				✓				✓	✓
230.00	5.30		✓		✓				✓	✓
236.00	5.30		✓		✓				✓	✓
239.00	5.30				✓				✓	✓
243.00	5.30		✓		✓				✓	✓
250.00	5.30		✓		✓				✓	✓
254.00	5.30				✓				✓	✓
258.00	5.30		✓		✓				✓	✓
261.00	5.30				✓				✓	✓
265.00	5.30		✓		✓				✓	✓
268.00	5.30				✓				✓	✓
272.00	5.30		✓		✓				✓	✓
276.00	5.30				✓				✓	✓
280.00	5.30		✓		✓				✓	✓
283.00	5.30				✓				✓	✓
286.00	5.30				✓				✓	✓
290.00	5.30		✓		✓				✓	✓
295.00	5.30				✓				✓	✓
300.00	5.30		✓		✓				✓	✓
303.00	5.30				✓				✓	✓
307.00	5.30		✓		✓				✓	✓
311.00	5.30				✓				✓	✓
315.00	5.30		✓		✓				✓	✓
320.00	5.30				✓				✓	✓
325.00	5.30		✓		✓				✓	✓
330.00	5.30				✓				✓	✓
335.00	5.30		✓		✓				✓	✓
340.00	5.30				✓				✓	✓
345.00	5.30		✓		✓				✓	✓
350.00	5.30				✓				✓	✓
355.00	5.30		✓		✓				✓	✓
360.00	5.30				✓				✓	✓
365.00	5.30		✓		✓				✓	✓

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
370.00	5.30				✓				✓	✓
375.00	5.30		✓		✓				✓	✓
379.00	5.30				✓				✓	✓
383.00	5.30				✓				✓	✓
387.00	5.30		✓		✓				✓	✓
391.00	5.30				✓				✓	✓
395.00	5.30				✓				✓	✓
400.00	5.30		✓		✓				✓	✓
10.46	5.33	✓					✓			
12.07	5.33	✓					✓			
13.64	5.33	✓					✓			
15.24	5.33	✓					✓			
16.81	5.33	✓					✓			
18.42	5.33	✓					✓			
19.99	5.33	✓					✓			
21.59	5.33	✓					✓			
23.16	5.33	✓					✓			
24.77	5.33	✓					✓			
26.34	5.33	✓					✓			
27.94	5.33	✓					✓			
29.51	5.33	✓					✓			
31.12	5.33	✓					✓			
32.69	5.33	✓					✓			
34.29	5.33	✓					✓			
37.47	5.33	✓					✓			
40.64	5.33	✓					✓			
43.82	5.33	✓					✓			
46.99	5.33	✓					✓			
50.17	5.33	✓					✓			
53.34	5.33	✓					✓			
56.52	5.33	✓					✓			
59.69	5.33	✓					✓			
62.87	5.33	✓					✓			
66.04	5.33	✓					✓			
69.22	5.33	✓					✓			
72.39	5.33	✓					✓			
74.63	5.33									
75.57	5.33	✓					✓			
78.74	5.33	✓					✓			
79.73	5.33									
79.78	5.33						✓			
81.92	5.33	✓					✓			
85.09	5.33	✓					✓			
88.27	5.33	✓					✓			
89.69	5.33						✓			
91.44	5.33	✓					✓			

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
94.62	5.33	✓					✓			
97.79	5.33	✓					✓			
100.00	5.33						✓			
100.97	5.33	✓					✓			
104.14	5.33	✓					✓			
107.32	5.33	✓					✓			
109.52	5.33						✓			
109.54	5.33									
110.49	5.33	✓					✓			
113.67	5.33	✓					✓			
116.84	5.33	✓					✓			
117.48	5.33						✓			
120.02	5.33	✓					✓			
120.65	5.33						✓			
123.19	5.33	✓					✓			
123.83	5.33						✓			
126.37	5.33	✓					✓			
127.00	5.33						✓			
129.54	5.33	✓					✓			
130.18	5.33						✓			
132.72	5.33	✓					✓			
133.35	5.33						✓			
135.89	5.33	✓					✓			
136.53	5.33						✓			
139.07	5.33	✓					✓			
139.70	5.33						✓			
142.24	5.33	✓					✓			
142.88	5.33						✓			
145.42	5.33	✓					✓			
146.05	5.33						✓			
148.59	5.33	✓					✓			
149.23	5.33						✓			
151.77	5.33	✓					✓			
154.94	5.33						✓			
155.00	5.33									
158.12	5.33	✓					✓			
161.29	5.33						✓			
164.47	5.33	✓					✓			
167.64	5.33						✓			
167.70	5.33									
170.82	5.33	✓					✓			

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
173.99	5.33						✓			
174.00	5.33									
177.17	5.33	✓					✓			
183.52	5.33	✓					✓			
189.87	5.33	✓					✓			
196.22	5.33	✓					✓			
202.57	5.33	✓					✓			
208.92	5.33	✓					✓			
215.27	5.33	✓					✓			
221.62	5.33	✓					✓			
227.97	5.33	✓					✓			
234.32	5.33	✓					✓			
240.67	5.33	✓					✓			
247.02	5.33	✓					✓			
253.37	5.33	✓					✓			
266.07	5.33	✓					✓			
278.77	5.33	✓					✓			
291.47	5.33	✓					✓			
304.17	5.33	✓					✓			
329.57	5.33	✓					✓			
354.97	5.33	✓					✓			
380.37	5.33	✓					✓			
405.26	5.33	✓					✓			
430.66	5.33	✓					✓			
456.06	5.33	✓					✓			
481.41	5.33									
481.45	5.33	✓								
481.46	5.33						✓			
506.81	5.33									
506.85	5.33	✓								
506.86	5.33						✓			
532.21	5.33									
532.25	5.33	✓								
532.26	5.33						✓			
557.61	5.33									
557.65	5.33	✓								
557.66	5.33						✓			
582.68	5.33	✓					✓			
608.08	5.33	✓					✓			
633.48	5.33	✓					✓			
658.88	5.33	✓					✓			