


Standard Metric O-Ring Standard Size Reference

Metric Standard Sizes



ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
1.15	1.00									
1.50	1.00									
1.80	1.00									
2.00	1.00									
2.50	1.00									
3.00	1.00									
3.50	1.00									
4.00	1.00									
4.50	1.00									
5.00	1.00									
5.50	1.00									
6.00	1.00									
6.50	1.00									
7.00	1.00									
7.50	1.00									
8.00	1.00									
8.50	1.00									
9.00	1.00									
9.50	1.00									
10.00	1.00									
10.50	1.00									
11.00	1.00									
11.50	1.00									
12.00	1.00									
12.50	1.00									
13.00	1.00									
13.50	1.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
14.00	1.00									
14.50	1.00									
15.00	1.00									
15.50	1.00									
16.00	1.00									
16.50	1.00									
17.00	1.00									
17.50	1.00									
18.00	1.00									
18.50	1.00									
19.00	1.00									
19.50	1.00									
20.00	1.00									
20.50	1.00									
21.00	1.00									
21.50	1.00									
22.50	1.00									
23.00	1.00									
23.50	1.00									
24.00	1.00									
24.50	1.00									
25.00	1.00									
0.74	1.02	✓					✓			
1.78	1.02						✓			
2.54	1.02						✓			
1.07	1.27	✓					✓			
4.70	1.42	✓								

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
1.85	1.50									
2.00	1.50									
2.50	1.50									
2.80	1.50									
3.00	1.50									
3.50	1.50									
4.00	1.50									
4.50	1.50									
5.00	1.50									
5.50	1.50									
6.00	1.50									
6.50	1.50									
7.00	1.50									
7.50	1.50									
8.00	1.50									
8.50	1.50									
9.00	1.50									
9.50	1.50									
10.00	1.50									
10.50	1.50									
11.00	1.50									
11.50	1.50									
12.00	1.50									
12.50	1.50									
13.00	1.50									
13.50	1.50									
14.00	1.50									
14.50	1.50									
15.00	1.50									
15.50	1.50									
16.00	1.50									
16.50	1.50									
17.00	1.50									
17.50	1.50									
18.00	1.50									
18.50	1.50									
19.00	1.50									
19.50	1.50									
20.00	1.50									
20.50	1.50									
21.00	1.50									
21.50	1.50									
22.00	1.50									
22.50	1.50									
23.00	1.50									
23.50	1.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
24.00	1.50									
24.50	1.50									
25.00	1.50									
25.50	1.50									
26.00	1.50									
26.50	1.50									
27.00	1.50									
27.50	1.50									
28.00	1.50									
28.50	1.50									
29.00	1.50									
29.50	1.50									
30.00	1.50									
30.50	1.50									
31.00	1.50									
31.50	1.50									
32.00	1.50									
32.50	1.50									
33.00	1.50									
33.50	1.50									
34.00	1.50									
34.50	1.50									
35.00	1.50									
35.50	1.50									
36.00	1.50									
36.50	1.50									
37.00	1.50									
37.50	1.50									
38.00	1.50									
38.50	1.50									
39.00	1.50									
39.50	1.50									
40.00	1.50									
41.00	1.50									
42.00	1.50									
43.00	1.50									
44.00	1.50									
45.00	1.50									
46.00	1.50									
47.00	1.50									
48.00	1.50									
49.00	1.50									
50.00	1.50									
51.00	1.50									
52.00	1.50									
53.00	1.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
54.00	1.50									
55.00	1.50									
56.00	1.50									
57.00	1.50									
58.00	1.50									
59.00	1.50									
60.00	1.50									
61.00	1.50									
62.00	1.50									
63.00	1.50									
64.00	1.50									
65.00	1.50									
66.00	1.50									
67.00	1.50									
68.00	1.50									
69.00	1.50									
70.00	1.50									
71.00	1.50									
72.00	1.50									
73.00	1.50									
74.00	1.50									
75.00	1.50									
76.00	1.50									
77.00	1.50									
78.00	1.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
79.00	1.50									
80.00	1.50									
81.00	1.50									
82.00	1.50									
83.00	1.50									
84.00	1.50									
85.00	1.50									
86.00	1.50									
87.00	1.50									
88.00	1.50									
89.00	1.50									
90.00	1.50									
91.00	1.50									
92.00	1.50									
93.00	1.50									
94.00	1.50									
95.00	1.50									
96.00	1.50									
97.00	1.50									
98.00	1.50									
99.00	1.50									
100.00	1.50									
1.42	1.52									
1.42	1.52	✓					✓			

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
2.20	1.60									
2.75	1.60									
3.10	1.60					✓				
3.60	1.60					✓				
4.10	1.60					✓				
4.60	1.60					✓				
4.70	1.60									
5.00	1.60									
5.10	1.60					✓				
5.60	1.60					✓				
6.10	1.60					✓				
6.60	1.60					✓				
7.10	1.60					✓				
7.60	1.60					✓				
8.10	1.60					✓				
8.60	1.60					✓				
9.10	1.60					✓				
9.60	1.60					✓				
10.10	1.60					✓				
10.60	1.60					✓				
11.10	1.60					✓				
11.60	1.60					✓				
12.10	1.60					✓				
12.60	1.60					✓				
13.10	1.60					✓				
13.60	1.60					✓				
14.10	1.60					✓				
14.60	1.60					✓				

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
15.10	1.60					✓				
15.60	1.60					✓				
16.10	1.60					✓				
16.60	1.60					✓				
17.10	1.60					✓				
17.60	1.60					✓				
18.10	1.60					✓				
18.60	1.60					✓				
19.10	1.60					✓				
19.60	1.60					✓				
20.60	1.60					✓				
21.60	1.60					✓				
22.10	1.60					✓				
24.60	1.60					✓				
25.10	1.60					✓				
27.10	1.60					✓				
27.60	1.60					✓				
29.10	1.60					✓				
29.60	1.60					✓				
31.60	1.60					✓				
32.10	1.60					✓				
34.60	1.60					✓				
35.10	1.60					✓				
37.10	1.60					✓				
37.60	1.60					✓				
6.07	1.63	✓								
7.65	1.63	✓								

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
1.78	1.78	✓					✓			
2.57	1.78	✓					✓			
2.90	1.78	✓					✓			
3.17	1.78									
3.18	1.78						✓			
3.68	1.78	✓					✓			
4.47	1.78	✓					✓			
4.75	1.78						✓			
4.76	1.78									
5.28	1.78	✓					✓			
6.07	1.78	✓					✓			
6.35	1.78						✓			
6.75	1.78									
6.76	1.78						✓			
7.65	1.78	✓					✓			
7.92	1.78						✓			
7.94	1.78									
8.73	1.78									
8.74	1.78						✓			
9.25	1.78	✓					✓			
9.52	1.78									
10.82	1.78	✓					✓			
11.10	1.78						✓			
11.11	1.78									
12.42	1.78	✓					✓			
14.00	1.78	✓					✓			
15.60	1.78	✓					✓			
17.17	1.78	✓					✓			
18.77	1.78	✓					✓			
20.35	1.78	✓					✓			
21.95	1.78	✓					✓			
23.52	1.78	✓					✓			
25.12	1.78	✓					✓			
26.70	1.78	✓					✓			
28.30	1.78	✓					✓			
29.87	1.78	✓					✓			
31.47	1.78	✓					✓			
33.05	1.78	✓					✓			
34.65	1.78	✓					✓			
36.27	1.78						✓			
37.82	1.78	✓					✓			
39.45	1.78						✓			
41.00	1.78	✓					✓			
44.17	1.78	✓					✓			
47.35	1.78	✓					✓			
50.52	1.78	✓					✓			

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
53.70	1.78	✓					✓			
56.87	1.78	✓					✓			
60.05	1.78	✓					✓			
63.22	1.78	✓					✓			
66.40	1.78	✓					✓			
69.57	1.78	✓					✓			
72.75	1.78	✓					✓			
75.92	1.78	✓					✓			
78.99	1.78						✓			
79.00	1.78									
82.27	1.78	✓					✓			
85.34	1.78									
88.62	1.78	✓					✓			
91.69	1.78						✓			
91.70	1.78									
94.97	1.78	✓					✓			
98.04	1.78						✓			
98.05	1.78									
101.32	1.78	✓					✓			
104.39	1.78						✓			
104.40	1.78									
107.67	1.78	✓					✓			
110.74	1.78						✓			
114.02	1.78	✓					✓			
117.09	1.78						✓			
117.10	1.78									
120.37	1.78	✓					✓			
123.44	1.78						✓			
126.72	1.78	✓					✓			
129.40	1.78									
129.41	1.78						✓			
133.07	1.78	✓					✓			
135.76	1.78						✓			
138.94	1.78						✓			
142.11	1.78						✓			
145.29	1.78						✓			
148.46	1.78						✓			
151.64	1.78						✓			
154.81	1.78						✓			
157.99	1.78						✓			
158.00	1.78									
161.16	1.78						✓			
164.34	1.78						✓			
167.51	1.78						✓			
170.05	1.78						✓			
170.69	1.78						✓			

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
173.86	1.78						✓			
173.87	1.78									
1.80	1.80	✓	✓	✓				✓	✓	✓
2.00	1.80	✓	✓	✓				✓	✓	✓
2.24	1.80	✓	✓	✓				✓	✓	✓
2.50	1.80	✓	✓	✓				✓	✓	✓
2.80	1.80	✓	✓	✓				✓	✓	✓
3.15	1.80	✓	✓	✓				✓	✓	✓
3.55	1.80	✓	✓	✓				✓	✓	✓
3.75	1.80							✓	✓	✓
4.00	1.80	✓	✓	✓				✓	✓	✓
4.50	1.80	✓	✓	✓				✓	✓	✓
4.75	1.80				✓					
4.87	1.80	✓	✓	✓				✓	✓	✓
5.00	1.80	✓	✓	✓				✓	✓	✓
5.15	1.80	✓	✓	✓				✓	✓	✓
5.30	1.80	✓	✓	✓				✓	✓	✓
5.60	1.80	✓	✓	✓				✓	✓	✓
6.00	1.80	✓	✓	✓				✓	✓	✓
6.30	1.80	✓	✓	✓				✓	✓	✓
6.70	1.80	✓	✓	✓				✓	✓	✓
6.90	1.80	✓	✓	✓				✓	✓	✓
7.10	1.80	✓	✓	✓				✓	✓	✓
7.50	1.80	✓	✓	✓				✓	✓	✓
8.00	1.80	✓	✓	✓				✓	✓	✓
8.50	1.80	✓	✓	✓				✓	✓	✓
8.75	1.80	✓	✓	✓				✓	✓	✓
8.76	1.80									
9.00	1.80	✓	✓	✓				✓	✓	✓
9.50	1.80	✓	✓	✓				✓	✓	✓
9.75	1.80				✓					
10.00	1.80	✓	✓	✓				✓	✓	✓
10.60	1.80	✓	✓	✓				✓	✓	✓
11.20	1.80	✓	✓	✓				✓	✓	✓
11.60	1.80				✓			✓	✓	✓
11.80	1.80	✓	✓	✓				✓	✓	✓
12.10	1.80				✓			✓	✓	✓
12.50	1.80	✓	✓	✓				✓	✓	✓
12.80	1.80				✓			✓	✓	✓
13.20	1.80	✓	✓	✓				✓	✓	✓
14.00	1.80	✓	✓	✓				✓	✓	✓
14.50	1.80							✓	✓	✓
15.00	1.80	✓	✓	✓				✓	✓	✓
15.50	1.80							✓	✓	✓
16.00	1.80	✓	✓	✓				✓	✓	✓
17.00	1.80	✓	✓	✓				✓	✓	✓

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
18.00	1.80			✓					✓	✓
19.00	1.80			✓					✓	✓
20.00	1.80			✓					✓	✓
20.60	1.80								✓	✓
21.20	1.80			✓					✓	✓
22.40	1.80			✓					✓	✓
23.60	1.80			✓					✓	✓
24.30	1.80								✓	✓
25.00	1.80			✓					✓	✓
25.80	1.80			✓					✓	✓
26.50	1.80			✓					✓	✓
27.30	1.80								✓	✓
28.00	1.80			✓					✓	✓
30.00	1.80			✓					✓	✓
31.50	1.80			✓					✓	✓
32.50	1.80			✓					✓	✓
33.50	1.80			✓					✓	✓
34.50	1.80			✓					✓	✓
35.50	1.80			✓					✓	✓
36.50	1.80			✓					✓	✓
37.50	1.80			✓					✓	✓
38.70	1.80			✓					✓	✓
40.00	1.80			✓					✓	✓
41.20	1.80			✓					✓	✓
42.50	1.80			✓					✓	✓
43.70	1.80			✓					✓	✓
45.00	1.80			✓					✓	✓
46.20	1.80								✓	✓
47.50	1.80			✓					✓	✓
48.70	1.80								✓	✓
50.00	1.80			✓					✓	✓
53.00	1.80			✓					✓	✓
56.00	1.80			✓					✓	✓
60.00	1.80			✓					✓	✓
63.00	1.80			✓					✓	✓
67.00	1.80			✓					✓	✓
71.00	1.80			✓					✓	✓
75.00	1.80			✓					✓	✓
80.00	1.80			✓					✓	✓
85.00	1.80			✓					✓	✓
90.00	1.80			✓					✓	✓
95.00	1.80			✓					✓	✓
100.00	1.80			✓					✓	✓
106.00	1.80			✓					✓	✓
112.00	1.80			✓					✓	✓
118.00	1.80			✓					✓	✓

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
125.00	1.80			✓					✓	
8.92	1.83	✓								
10.52	1.83	✓								
2.40	1.90									
2.60	1.90									
2.80	1.90							✓		
3.40	1.90							✓		
3.80	1.90							✓		
4.20	1.90									
4.80	1.90							✓		
4.90	1.90									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
5.70	1.90									
5.80	1.90							✓		
6.40	1.90									
6.80	1.90							✓		
7.20	1.90									
7.80	1.90							✓		
8.00	1.90									
8.80	1.90							✓		
8.90	1.90									
9.80	1.90							✓		
11.89	1.98	✓								

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
2.50	2.00									
3.00	2.00									
3.50	2.00									
4.00	2.00									
4.50	2.00									
5.00	2.00									
5.50	2.00									
6.00	2.00									
6.50	2.00									
7.00	2.00									
7.50	2.00									
8.00	2.00									
8.50	2.00									
9.00	2.00									
9.50	2.00									
10.00	2.00									
10.50	2.00									
11.00	2.00									
11.50	2.00									
12.00	2.00									
12.50	2.00									
13.00	2.00									
13.50	2.00									
14.00	2.00									
14.50	2.00									
15.00	2.00									
15.50	2.00									
16.00	2.00									
16.50	2.00									
17.00	2.00									
17.50	2.00									
18.00	2.00									
18.50	2.00									
19.00	2.00									
19.50	2.00									
20.00	2.00									
20.50	2.00									
21.00	2.00									
21.50	2.00									
22.00	2.00									
22.50	2.00									
23.00	2.00									
23.50	2.00									
24.00	2.00									
24.50	2.00									
25.00	2.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
25.50	2.00									
26.00	2.00									
26.50	2.00									
27.00	2.00									
27.50	2.00									
28.00	2.00									
28.50	2.00									
29.00	2.00									
29.50	2.00									
30.00	2.00									
30.50	2.00									
31.00	2.00									
31.50	2.00									
32.00	2.00									
32.50	2.00									
33.00	2.00									
33.50	2.00									
34.00	2.00									
34.50	2.00									
35.00	2.00									
35.50	2.00									
36.00	2.00									
36.50	2.00									
37.00	2.00									
37.50	2.00									
38.00	2.00									
38.50	2.00									
39.00	2.00									
39.50	2.00									
40.00	2.00									
41.00	2.00									
42.00	2.00									
43.00	2.00									
44.00	2.00									
45.00	2.00									
46.00	2.00									
47.00	2.00									
48.00	2.00									
49.00	2.00									
50.00	2.00									
51.00	2.00									
52.00	2.00									
53.00	2.00									
54.00	2.00									
55.00	2.00									
56.00	2.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
57.00	2.00									
58.00	2.00									
59.00	2.00									
60.00	2.00									
61.00	2.00									
62.00	2.00									
63.00	2.00									
64.00	2.00									
65.00	2.00									
66.00	2.00									
67.00	2.00									
68.00	2.00									
69.00	2.00									
70.00	2.00									
71.00	2.00									
72.00	2.00									
73.00	2.00									
74.00	2.00									
75.00	2.00									
76.00	2.00									
77.00	2.00									
78.00	2.00									
79.00	2.00									
80.00	2.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
81.00	2.00									
82.00	2.00									
83.00	2.00									
84.00	2.00									
85.00	2.00									
86.00	2.00									
87.00	2.00									
88.00	2.00									
89.00	2.00									
90.00	2.00									
91.00	2.00									
92.00	2.00									
93.00	2.00									
94.00	2.00									
95.00	2.00									
96.00	2.00									
97.00	2.00									
98.00	2.00									
99.00	2.00									
100.00	2.00									
13.46	2.08	✓								
6.00	2.20									
16.36	2.21	✓								

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
3.30	2.40									
3.60	2.40									
4.30	2.40									
4.60	2.40									
5.30	2.40									
5.50	2.40									
5.60	2.40									
6.30	2.40									
6.60	2.40									
7.30	2.40									
7.50	2.40									
7.60	2.40									
8.30	2.40									
8.60	2.40									
9.30	2.40									
9.60	2.40									
9.80	2.40							✓		
10.30	2.40									
10.50	2.40									
10.60	2.40									
10.80	2.40							✓		
11.00	2.40							✓		
11.30	2.40									
11.50	2.40									
11.60	2.40									
11.80	2.40							✓		
12.30	2.40							✓		
12.60	2.40									
13.30	2.40									
13.50	2.40									
13.60	2.40									
13.80	2.40							✓		
14.30	2.40									
14.50	2.40									
14.60	2.40									
14.80	2.40							✓		
15.30	2.40									
15.50	2.40									
15.60	2.40									
15.80	2.40							✓		
16.30	2.40									
16.60	2.40									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
17.30	2.40									
17.50	2.40									
17.60	2.40									
17.80	2.40							✓		
18.60	2.40									
19.60	2.40									
19.80	2.40							✓		
20.50	2.40									
20.80	2.40							✓		
21.50	2.40									
21.60	2.40									
21.80	2.40							✓		
23.50	2.40									
24.50	2.40									
24.60	2.40									
25.00	2.40									
27.50	2.40									
27.60	2.40									
29.60	2.40									
31.61	2.40									
34.61	2.40									
37.60	2.40									
39.60	2.40					✓				
41.60	2.40					✓				
44.60	2.40					✓				
45.60	2.40					✓				
47.60	2.40					✓				
49.60	2.40					✓				
51.60	2.40					✓				
54.60	2.40					✓				
55.60	2.40					✓				
57.60	2.40					✓				
58.60	2.40					✓				
59.60	2.40					✓				
61.60	2.40					✓				
62.60	2.40					✓				
64.60	2.40					✓				
67.60	2.40					✓				
69.60	2.40					✓				
17.93	2.46	✓								
19.18	2.46	✓								

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
4.00	2.50									
4.60	2.50									
5.00	2.50									
5.50	2.50									
6.00	2.50									
6.50	2.50									
7.00	2.50									
7.50	2.50									
8.00	2.50									
8.50	2.50									
9.00	2.50									
9.50	2.50									
10.00	2.50									
10.50	2.50									
11.00	2.50									
11.50	2.50									
12.00	2.50									
12.50	2.50									
13.00	2.50									
13.50	2.50									
14.00	2.50									
14.50	2.50									
15.00	2.50									
15.50	2.50									
16.00	2.50									
16.50	2.50									
17.00	2.50									
17.50	2.50									
18.00	2.50									
18.50	2.50									
19.00	2.50									
19.50	2.50									
20.00	2.50									
20.50	2.50									
21.00	2.50									
21.50	2.50									
22.00	2.50									
22.50	2.50									
23.00	2.50									
23.50	2.50									
24.00	2.50									
24.50	2.50									
25.00	2.50									
25.50	2.50									
26.00	2.50									
26.50	2.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
27.00	2.50									
27.50	2.50									
28.00	2.50									
28.50	2.50									
29.00	2.50									
29.50	2.50									
30.00	2.50									
30.50	2.50									
31.00	2.50									
31.50	2.50									
32.00	2.50									
32.50	2.50									
33.00	2.50									
33.50	2.50									
34.00	2.50									
34.50	2.50									
35.00	2.50									
35.50	2.50									
36.00	2.50									
36.50	2.50									
37.00	2.50									
37.50	2.50									
38.00	2.50									
38.50	2.50									
39.00	2.50									
39.50	2.50									
40.00	2.50									
41.00	2.50									
42.00	2.50									
43.00	2.50									
44.00	2.50									
45.00	2.50									
46.00	2.50									
47.00	2.50									
48.00	2.50									
49.00	2.50									
50.00	2.50									
51.00	2.50									
52.00	2.50									
53.00	2.50									
54.00	2.50									
55.00	2.50									
56.00	2.50									
57.00	2.50									
58.00	2.50									
59.00	2.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
60.00	2.50									
61.00	2.50									
62.00	2.50									
63.00	2.50									
64.00	2.50									
65.00	2.50									
66.00	2.50									
67.00	2.50									
68.00	2.50									
69.00	2.50									
70.00	2.50									
71.00	2.50									
72.00	2.50									
73.00	2.50									
74.00	2.50									
75.00	2.50									
76.00	2.50									
77.00	2.50									
78.00	2.50									
79.00	2.50									
80.00	2.50									
81.00	2.50									
82.00	2.50									
83.00	2.50									
84.00	2.50									
85.00	2.50									
86.00	2.50									
87.00	2.50									
88.00	2.50									
89.00	2.50									
90.00	2.50									
91.00	2.50									
92.00	2.50									
93.00	2.50									
94.00	2.50									
95.00	2.50									
96.00	2.50									
97.00	2.50									
98.00	2.50									
99.00	2.50									
100.00	2.50									
101.00	2.50									
102.00	2.50									
103.00	2.50									
104.00	2.50									
105.00	2.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
106.00	2.50									
107.00	2.50									
108.00	2.50									
109.00	2.50									
110.00	2.50									
111.00	2.50									
112.00	2.50									
113.00	2.50									
114.00	2.50									
115.00	2.50									
116.00	2.50									
117.00	2.50									
118.00	2.50									
119.00	2.50									
120.00	2.50									
121.00	2.50									
122.00	2.50									
123.00	2.50									
124.00	2.50									
125.00	2.50									
126.00	2.50									
127.00	2.50									
128.00	2.50									
129.00	2.50									
130.00	2.50									
131.00	2.50									
132.00	2.50									
133.00	2.50									
134.00	2.50									
135.00	2.50									
136.00	2.50									
137.00	2.50									
138.00	2.50									
139.00	2.50									
140.00	2.50									
141.00	2.50									
142.00	2.50									
143.00	2.50									
144.00	2.50									
145.00	2.50									
146.00	2.50									
147.00	2.50									
148.00	2.50									
149.00	2.50									
150.00	2.50									
29.10	2.55									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
1.24	2.62	✓								
2.06	2.62	✓								
2.84	2.62	✓								
3.63	2.62	✓					✓			
4.42	2.62	✓					✓			
5.23	2.62	✓					✓			
6.02	2.62	✓					✓			
7.59	2.62	✓					✓			
9.13	2.62									
9.19	2.62	✓					✓			
9.90	2.62									
9.93	2.62						✓			
10.77	2.62	✓					✓			
11.91	2.62						✓			
12.37	2.62	✓					✓			
12.70	2.62						✓			
13.10	2.62									
13.11	2.62						✓			
13.94	2.62	✓					✓			
15.08	2.62									
15.09	2.62						✓			
15.54	2.62	✓					✓			
15.88	2.62						✓			
17.12	2.62	✓					✓			
17.45	2.62						✓			
17.46	2.62									
17.86	2.62						✓			
18.72	2.62	✓					✓			
20.29	2.62	✓					✓			
20.30	2.62									
20.62	2.62						✓			
20.64	2.62									
21.89	2.62	✓					✓			
22.23	2.62						✓			
23.47	2.62	✓					✓			
23.80	2.62						✓			
23.81	2.62									
25.07	2.62						✓			
26.64	2.62						✓			
28.24	2.62						✓			
29.82	2.62						✓			
31.42	2.62						✓			
32.99	2.62						✓			
34.59	2.62						✓			
36.17	2.62						✓			
37.77	2.62	✓					✓			

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
39.34	2.62	✓								
40.94	2.62	✓					✓			
42.52	2.62	✓					✓			
44.12	2.62	✓					✓			
45.69	2.62	✓					✓			
47.29	2.62	✓					✓			
48.90	2.62	✓					✓			
50.47	2.62	✓					✓			
52.07	2.62	✓					✓			
53.64	2.62	✓					✓			
55.25	2.62	✓					✓			
56.82	2.62	✓					✓			
58.42	2.62	✓					✓			
59.99	2.62	✓					✓			
61.60	2.62	✓					✓			
63.17	2.62	✓					✓			
64.77	2.62	✓					✓			
66.34	2.62	✓					✓			
67.95	2.62	✓					✓			
69.52	2.62	✓					✓			
71.12	2.62	✓					✓			
72.69	2.62	✓					✓			
74.27	2.62						✓			
74.30	2.62									
75.87	2.62	✓					✓			
77.44	2.62						✓			
77.50	2.62									
80.60	2.62									
80.62	2.62						✓			
82.22	2.62	✓					✓			
83.79	2.62						✓			
83.80	2.62									
88.57	2.62	✓					✓			
94.92	2.62	✓					✓			
101.27	2.62	✓					✓			
107.62	2.62	✓					✓			
113.97	2.62	✓					✓			
120.32	2.62	✓					✓			
126.67	2.62	✓					✓			
133.02	2.62	✓					✓			
139.37	2.62	✓					✓			
145.72	2.62	✓					✓			
152.07	2.62	✓					✓			
158.42	2.62	✓					✓			
164.77	2.62	✓					✓			
171.12	2.62	✓					✓			

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
177.47	2.62	✓					✓			
183.82	2.62	✓					✓			
190.17	2.62	✓					✓			
196.52	2.62	✓					✓			
202.87	2.62	✓					✓			
209.22	2.62	✓					✓			
215.57	2.62	✓					✓			
221.92	2.62	✓					✓			
228.27	2.62	✓					✓			
234.62	2.62	✓					✓			
240.97	2.62	✓					✓			
247.32	2.62	✓					✓			
4.50	2.65		✓					✓	✓	
5.30	2.65		✓					✓	✓	
6.00	2.65		✓					✓	✓	
6.90	2.65		✓					✓	✓	
8.00	2.65		✓					✓	✓	
9.00	2.65		✓					✓	✓	
9.50	2.65		✓					✓	✓	
10.00	2.65		✓					✓	✓	
10.60	2.65		✓					✓	✓	
11.20	2.65		✓					✓	✓	
11.60	2.65							✓	✓	
11.80	2.65		✓					✓	✓	
12.10	2.65							✓	✓	
12.50	2.65		✓					✓	✓	
12.80	2.65							✓	✓	
13.20	2.65		✓					✓	✓	
14.00	2.65		✓	✓	✓			✓	✓	
14.50	2.65				✓			✓	✓	
15.00	2.65		✓	✓	✓			✓	✓	
15.50	2.65				✓			✓	✓	
16.00	2.65		✓	✓	✓			✓	✓	
17.00	2.65		✓	✓	✓			✓	✓	
18.00	2.65		✓	✓	✓			✓	✓	
19.00	2.65		✓	✓	✓			✓	✓	
20.00	2.65		✓	✓	✓			✓	✓	
20.60	2.65				✓			✓	✓	
21.20	2.65		✓	✓	✓			✓	✓	
22.40	2.65		✓	✓	✓			✓	✓	
23.60	2.65		✓	✓	✓			✓	✓	
24.30	2.65				✓			✓	✓	
25.00	2.65		✓	✓	✓			✓	✓	
25.80	2.65		✓	✓	✓			✓	✓	
26.50	2.65		✓	✓	✓			✓	✓	
27.30	2.65				✓			✓	✓	

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
28.00	2.65		✓	✓	✓				✓	✓
30.00	2.65		✓	✓	✓				✓	✓
31.50	2.65		✓	✓	✓				✓	✓
32.50	2.65		✓	✓	✓				✓	✓
33.50	2.65		✓	✓	✓				✓	✓
34.50	2.65		✓	✓	✓				✓	✓
35.50	2.65		✓	✓	✓				✓	✓
36.50	2.65		✓	✓	✓				✓	✓
37.50	2.65		✓	✓	✓				✓	✓
38.70	2.65		✓	✓	✓				✓	✓
40.00	2.65			✓					✓	✓
41.20	2.65			✓					✓	✓
42.50	2.65			✓					✓	✓
43.70	2.65			✓					✓	✓
45.00	2.65			✓					✓	✓
46.20	2.65			✓					✓	✓
47.50	2.65			✓					✓	✓
48.70	2.65			✓					✓	✓
50.00	2.65			✓					✓	✓
51.50	2.65			✓					✓	✓
53.00	2.65			✓					✓	✓
54.50	2.65			✓					✓	✓
56.00	2.65			✓					✓	✓
58.00	2.65			✓					✓	✓
60.00	2.65			✓					✓	✓
61.50	2.65			✓					✓	✓
63.00	2.65			✓					✓	✓
65.00	2.65			✓					✓	✓
67.00	2.65			✓					✓	✓
69.00	2.65			✓					✓	✓
71.00	2.65			✓					✓	✓
73.00	2.65			✓					✓	✓
75.00	2.65			✓					✓	✓
77.50	2.65								✓	✓
80.00	2.65			✓					✓	✓
82.50	2.65								✓	✓
85.00	2.65			✓					✓	✓
87.50	2.65								✓	✓
90.00	2.65			✓					✓	✓
92.50	2.65								✓	✓
95.00	2.65			✓					✓	✓
97.50	2.65								✓	✓
100.00	2.65			✓					✓	✓
106.00	2.65			✓					✓	✓
112.00	2.65			✓					✓	✓
118.00	2.65			✓					✓	✓

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
125.00	2.65			✓					✓	✓
132.00	2.65			✓					✓	
140.00	2.65			✓					✓	
150.00	2.65			✓					✓	
157.50	2.65								✓	✓
160.00	2.65			✓					✓	
170.00	2.65			✓					✓	
180.00	2.65			✓					✓	
190.00	2.65			✓					✓	
200.00	2.65			✓					✓	
212.00	2.65			✓					✓	
224.00	2.65			✓					✓	
230.00	2.65			✓					✓	
236.00	2.65			✓					✓	
243.00	2.65			✓					✓	

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
250.00	2.65			✓					✓	
8.90	2.70									
10.50	2.70									
12.10	2.70									
13.60	2.70									
15.10	2.70									
16.90	2.70									
18.40	2.70									
27.30	2.70									
21.92	2.95	✓								
23.47	2.95	✓								
25.04	2.95	✓								
26.59	2.95	✓								
29.74	2.95	✓								
34.42	2.95	✓								

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
3.00	3.00									
3.50	3.00									
4.00	3.00									
4.50	3.00									
5.00	3.00									
5.50	3.00									
6.00	3.00									
6.50	3.00									
7.00	3.00									
7.50	3.00									
8.00	3.00									
8.50	3.00									
9.00	3.00									
9.50	3.00									
10.00	3.00									
10.50	3.00									
11.00	3.00									
11.50	3.00									
12.00	3.00									
12.50	3.00									
13.00	3.00									
13.50	3.00									
14.00	3.00									
14.50	3.00									
15.00	3.00									
15.50	3.00									
16.00	3.00									
16.50	3.00									
17.00	3.00									
17.50	3.00									
18.00	3.00									
18.50	3.00									
19.00	3.00									
19.20	3.00									
19.50	3.00					✓				
20.00	3.00									
20.50	3.00									
21.00	3.00									
21.50	3.00					✓				
22.00	3.00									
22.20	3.00									
22.50	3.00					✓				
23.00	3.00									
23.50	3.00									
24.00	3.00									
24.20	3.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
24.50	3.00					✓				
24.60	3.00									
25.00	3.00									
25.50	3.00					✓				
26.00	3.00									
26.20	3.00									
26.50	3.00					✓				
27.00	3.00									
27.50	3.00					✓				
28.00	3.00									
28.50	3.00									
29.00	3.00									
29.20	3.00									
29.50	3.00					✓				
30.00	3.00									
30.50	3.00									
31.00	3.00									
31.50	3.00									
32.00	3.00									
32.20	3.00									
32.50	3.00					✓				
33.00	3.00									
33.50	3.00									
34.00	3.00									
34.20	3.00									
34.50	3.00					✓				
35.00	3.00									
35.50	3.00					✓				
36.00	3.00									
36.20	3.00									
36.50	3.00					✓				
37.00	3.00									
37.47	3.00	✓								
37.50	3.00					✓				
38.00	3.00									
38.50	3.00									
39.00	3.00									
39.20	3.00									
39.50	3.00					✓				
40.00	3.00									
41.00	3.00									
41.50	3.00					✓				
42.00	3.00									
42.20	3.00									
42.50	3.00					✓				
43.00	3.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
43.69	3.00	✓								
44.00	3.00									
44.20	3.00									
44.50	3.00					✓				
45.00	3.00									
46.00	3.00									
47.00	3.00									
48.00	3.00									
49.00	3.00									
49.50	3.00					✓				
50.00	3.00									
50.50	3.00									
51.00	3.00									
52.00	3.00									
53.00	3.00									
53.09	3.00	✓								
54.00	3.00									
54.50	3.00					✓				
55.00	3.00									
55.50	3.00					✓				
56.00	3.00									
57.00	3.00									
57.50	3.00					✓				
58.00	3.00									
59.00	3.00									
59.36	3.00	✓								
59.50	3.00					✓				
60.00	3.00									
61.00	3.00									
62.00	3.00									
62.50	3.00					✓				
63.00	3.00									
64.00	3.00									
64.50	3.00					✓				
65.00	3.00									
66.00	3.00									
67.00	3.00									
68.00	3.00									
69.00	3.00									
69.50	3.00					✓				
70.00	3.00									
71.00	3.00									
72.00	3.00									
73.00	3.00									
74.00	3.00									
74.50	3.00					✓				

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
75.00	3.00									
76.00	3.00									
77.00	3.00									
78.00	3.00									
79.00	3.00									
79.50	3.00					✓				
80.00	3.00									
81.00	3.00									
82.00	3.00									
83.00	3.00									
84.00	3.00									
84.50	3.00					✓				
85.00	3.00									
86.00	3.00									
87.00	3.00									
88.00	3.00									
89.00	3.00									
89.50	3.00					✓				
90.00	3.00									
91.00	3.00									
92.00	3.00									
93.00	3.00									
94.00	3.00									
94.50	3.00					✓				
95.00	3.00									
96.00	3.00									
97.00	3.00									
98.00	3.00									
99.00	3.00									
99.50	3.00					✓				
100.00	3.00									
101.00	3.00									
102.00	3.00									
103.00	3.00									
104.00	3.00									
104.50	3.00					✓				
105.00	3.00									
106.00	3.00									
107.00	3.00									
108.00	3.00									
109.00	3.00									
109.50	3.00					✓				
110.00	3.00									
111.00	3.00									
112.00	3.00									
113.00	3.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
114.00	3.00									
114.50	3.00					✓				
115.00	3.00									
116.00	3.00									
117.00	3.00									
118.00	3.00									
119.00	3.00									
119.50	3.00					✓				
120.00	3.00									
121.00	3.00									
122.00	3.00									
123.00	3.00									
124.00	3.00									
124.50	3.00					✓				
125.00	3.00									
126.00	3.00									
127.00	3.00									
128.00	3.00									
129.00	3.00									
129.50	3.00					✓				
130.00	3.00									
131.00	3.00									
132.00	3.00									
133.00	3.00									
134.00	3.00									
134.50	3.00					✓				
135.00	3.00									
136.00	3.00									
137.00	3.00									
138.00	3.00									
139.00	3.00									
139.50	3.00					✓				
140.00	3.00									
141.00	3.00									
142.00	3.00									
143.00	3.00									
144.00	3.00									
144.50	3.00					✓				
145.00	3.00									
146.00	3.00									
147.00	3.00									
148.00	3.00									
149.00	3.00									
149.50	3.00					✓				
150.00	3.00									
151.00	3.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
152.00	3.00									
153.00	3.00									
154.00	3.00									
154.50	3.00					✓				
155.00	3.00									
156.00	3.00									
157.00	3.00									
158.00	3.00									
159.00	3.00									
159.50	3.00					✓				
160.00	3.00									
161.00	3.00									
162.00	3.00									
163.00	3.00									
164.00	3.00									
164.50	3.00					✓				
165.00	3.00									
166.00	3.00									
167.00	3.00									
168.00	3.00									
169.00	3.00									
169.50	3.00					✓				
170.00	3.00									
171.00	3.00									
172.00	3.00									
173.00	3.00									
174.00	3.00									
174.50	3.00					✓				
175.00	3.00									
176.00	3.00									
177.00	3.00									
178.00	3.00									
179.00	3.00									
179.50	3.00					✓				
180.00	3.00									
181.00	3.00									
182.00	3.00									
183.00	3.00									
184.00	3.00									
184.50	3.00					✓				
185.00	3.00									
186.00	3.00									
187.00	3.00									
188.00	3.00									
189.00	3.00									
189.50	3.00					✓				

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
190.00	3.00									
191.00	3.00									
192.00	3.00									
193.00	3.00									
194.00	3.00									
194.50	3.00					✓				
195.00	3.00									
196.00	3.00									
197.00	3.00									
198.00	3.00									
199.00	3.00									
199.50	3.00					✓				
200.00	3.00									
201.00	3.00									
202.00	3.00									
203.00	3.00									
204.00	3.00									
204.50	3.00									
205.00	3.00									
206.00	3.00									
207.00	3.00									
208.00	3.00									
209.00	3.00									
209.50	3.00									
209.50	3.00					✓				
210.00	3.00									
211.00	3.00									
212.00	3.00									
213.00	3.00									
214.00	3.00									
215.00	3.00									
216.00	3.00									
217.00	3.00									
218.00	3.00									
219.00	3.00									
219.50	3.00					✓				

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
220.00	3.00									
221.00	3.00									
222.00	3.00									
223.00	3.00									
224.00	3.00									
225.00	3.00									
226.00	3.00									
227.00	3.00									
228.00	3.00									
229.00	3.00									
229.50	3.00					✓				
230.00	3.00									
231.00	3.00									
232.00	3.00									
233.00	3.00									
234.00	3.00									
235.00	3.00									
236.00	3.00									
237.00	3.00									
238.00	3.00									
239.00	3.00									
239.50	3.00					✓				
240.00	3.00									
241.00	3.00									
242.00	3.00									
243.00	3.00									
244.00	3.00									
244.50	3.00					✓				
245.00	3.00									
246.00	3.00									
247.00	3.00									
248.00	3.00									
249.00	3.00									
249.50	3.00					✓				
250.00	3.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
24.40	3.10							✓		
29.40	3.10							✓		
34.40	3.10							✓		
39.40	3.10							✓		
44.40	3.10							✓		
49.40	3.10							✓		
54.40	3.10							✓		
59.40	3.10							✓		
64.40	3.10							✓		
69.40	3.10							✓		
74.40	3.10							✓		
79.40	3.10							✓		
84.40	3.10							✓		
89.40	3.10							✓		
94.40	3.10							✓		
99.40	3.10							✓		
104.40	3.10							✓		
109.40	3.10							✓		
114.40	3.10							✓		
119.40	3.10							✓		
124.40	3.10							✓		
129.40	3.10							✓		
134.40	3.10							✓		
139.40	3.10							✓		
144.40	3.10							✓		
8.00	3.50									
9.00	3.50									
10.00	3.50									
11.00	3.50									
12.00	3.50									
13.00	3.50									
14.00	3.50									
15.00	3.50									
16.00	3.50									
17.00	3.50									
18.00	3.50									
19.00	3.50									
20.00	3.50									
21.00	3.50									
21.70	3.50							✓		
22.00	3.50									
22.10	3.50							✓		
23.00	3.50									
23.70	3.50							✓		
24.00	3.50									
24.70	3.50							✓		

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
25.00	3.50									
25.20	3.50							✓		
25.70	3.50							✓		
26.00	3.50									
27.00	3.50									
27.70	3.50							✓		
28.00	3.50									
28.70	3.50							✓		
29.00	3.50									
29.20	3.50							✓		
29.70	3.50							✓		
30.00	3.50									
30.70	3.50							✓		
31.00	3.50									
31.20	3.50							✓		
31.70	3.50							✓		
32.00	3.50									
33.00	3.50									
33.70	3.50							✓		
34.00	3.50									
34.70	3.50							✓		
35.00	3.50									
35.20	3.50							✓		
35.70	3.50							✓		
36.00	3.50									
37.00	3.50									
37.70	3.50							✓		
38.00	3.50									
38.70	3.50							✓		
39.00	3.50									
39.70	3.50							✓		
40.00	3.50									
40.70	3.50							✓		
41.00	3.50									
41.70	3.50							✓		
42.00	3.50									
43.00	3.50									
43.70	3.50							✓		
44.00	3.50									
44.70	3.50							✓		
45.00	3.50									
45.70	3.50							✓		
46.00	3.50									
47.00	3.50									
47.70	3.50							✓		
48.00	3.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
48.70	3.50							✓		
49.00	3.50									
49.70	3.50							✓		
50.00	3.50									
51.00	3.50									
52.00	3.50									
53.00	3.50									
54.00	3.50									
55.00	3.50									
56.00	3.50									
57.00	3.50									
58.00	3.50									
59.00	3.50									
60.00	3.50									
61.00	3.50									
62.00	3.50									
63.00	3.50									
64.00	3.50									
65.00	3.50									
66.00	3.50									
67.00	3.50									
68.00	3.50									
69.00	3.50									
70.00	3.50									
71.00	3.50									
72.00	3.50									
73.00	3.50									
74.00	3.50									
75.00	3.50									
76.00	3.50									
77.00	3.50									
78.00	3.50									
79.00	3.50									
80.00	3.50									
81.00	3.50									
82.00	3.50									
83.00	3.50									
84.00	3.50									
85.00	3.50									
86.00	3.50									
87.00	3.50									
88.00	3.50									
89.00	3.50									
90.00	3.50									
91.00	3.50									
92.00	3.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
93.00	3.50									
94.00	3.50									
95.00	3.50									
96.00	3.50									
97.00	3.50									
98.00	3.50									
99.00	3.50									
100.00	3.50									
101.00	3.50									
102.00	3.50									
103.00	3.50									
104.00	3.50									
105.00	3.50									
106.00	3.50									
107.00	3.50									
108.00	3.50									
109.00	3.50									
110.00	3.50									
111.00	3.50									
112.00	3.50									
113.00	3.50									
114.00	3.50									
115.00	3.50									
116.00	3.50									
117.00	3.50									
118.00	3.50									
119.00	3.50									
120.00	3.50									
121.00	3.50									
122.00	3.50									
123.00	3.50									
124.00	3.50									
125.00	3.50									
126.00	3.50									
127.00	3.50									
128.00	3.50									
129.00	3.50									
130.00	3.50									
131.00	3.50									
132.00	3.50									
133.00	3.50									
134.00	3.50									
135.00	3.50									
136.00	3.50									
137.00	3.50									
138.00	3.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
139.00	3.50									
140.00	3.50									
141.00	3.50									
142.00	3.50									
143.00	3.50									
144.00	3.50									
145.00	3.50									
146.00	3.50									
147.00	3.50									
148.00	3.50									
149.00	3.50									
150.00	3.50									
151.00	3.50									
152.00	3.50									
153.00	3.50									
154.00	3.50									
155.00	3.50									
156.00	3.50									
157.00	3.50									
158.00	3.50									
159.00	3.50									
160.00	3.50									
161.00	3.50									
162.00	3.50									
163.00	3.50									
164.00	3.50									
165.00	3.50									
166.00	3.50									
167.00	3.50									
168.00	3.50									
169.00	3.50									
170.00	3.50									
171.00	3.50									
172.00	3.50									
173.00	3.50									
174.00	3.50									
175.00	3.50									
176.00	3.50									
177.00	3.50									
178.00	3.50									
179.00	3.50									
180.00	3.50									
181.00	3.50									
182.00	3.50									
183.00	3.50									
184.00	3.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
185.00	3.50									
186.00	3.50									
187.00	3.50									
188.00	3.50									
189.00	3.50									
190.00	3.50									
191.00	3.50									
192.00	3.50									
193.00	3.50									
194.00	3.50									
195.00	3.50									
196.00	3.50									
197.00	3.50									
198.00	3.50									
199.00	3.50									
200.00	3.50									
201.00	3.50									
202.00	3.50									
203.00	3.50									
204.00	3.50									
205.00	3.50									
206.00	3.50									
207.00	3.50									
208.00	3.50									
209.00	3.50									
210.00	3.50									
211.00	3.50									
212.00	3.50									
213.00	3.50									
214.00	3.50									
215.00	3.50									
216.00	3.50									
217.00	3.50									
218.00	3.50									
219.00	3.50									
220.00	3.50									
221.00	3.50									
222.00	3.50									
223.00	3.50									
224.00	3.50									
225.00	3.50									
226.00	3.50									
227.00	3.50									
228.00	3.50									
229.00	3.50									
230.00	3.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
231.00	3.50									
232.00	3.50									
233.00	3.50									
234.00	3.50									
235.00	3.50									
236.00	3.50									
237.00	3.50									
238.00	3.50									
239.00	3.50									
240.00	3.50									
241.00	3.50									
242.00	3.50									
243.00	3.50									
244.00	3.50									
245.00	3.50									
246.00	3.50									
247.00	3.50									
248.00	3.50									
249.00	3.50									
250.00	3.50									
251.00	3.50									
252.00	3.50									
253.00	3.50									
254.00	3.50									
255.00	3.50									
256.00	3.50									
257.00	3.50									
258.00	3.50									
259.00	3.50									
260.00	3.50									
261.00	3.50									
262.00	3.50									
263.00	3.50									
264.00	3.50									
265.00	3.50									
266.00	3.50									
267.00	3.50									
268.00	3.50									
269.00	3.50									
270.00	3.50									
271.00	3.50									
272.00	3.50									
273.00	3.50									
274.00	3.50									
275.00	3.50									
276.00	3.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
277.00	3.50									
278.00	3.50									
279.00	3.50									
280.00	3.50									
281.00	3.50									
282.00	3.50									
283.00	3.50									
284.00	3.50									
285.00	3.50									
286.00	3.50									
287.00	3.50									
288.00	3.50									
289.00	3.50									
290.00	3.50									
291.00	3.50									
292.00	3.50									
293.00	3.50									
294.00	3.50									
295.00	3.50									
296.00	3.50									
297.00	3.50									
298.00	3.50									
299.00	3.50									
300.00	3.50									
301.00	3.50									
302.00	3.50									
303.00	3.50									
304.00	3.50									
305.00	3.50									
306.00	3.50									
307.00	3.50									
308.00	3.50									
309.00	3.50									
310.00	3.50									
311.00	3.50									
312.00	3.50									
313.00	3.50									
314.00	3.50									
315.00	3.50									
316.00	3.50									
317.00	3.50									
318.00	3.50									
319.00	3.50									
320.00	3.50									
321.00	3.50									
322.00	3.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
323.00	3.50									
324.00	3.50									
325.00	3.50									
326.00	3.50									
327.00	3.50									
328.00	3.50									
329.00	3.50									
330.00	3.50									
331.00	3.50									
332.00	3.50									
333.00	3.50									
334.00	3.50									
335.00	3.50									
336.00	3.50									
337.00	3.50									
338.00	3.50									
339.00	3.50									
340.00	3.50									
341.00	3.50									
342.00	3.50									
343.00	3.50									
344.00	3.50									
345.00	3.50									
346.00	3.50									
347.00	3.50									
348.00	3.50									
349.00	3.50									
350.00	3.50									
351.00	3.50									
352.00	3.50									
353.00	3.50									
354.00	3.50									
355.00	3.50									
356.00	3.50									
357.00	3.50									
358.00	3.50									
359.00	3.50									
360.00	3.50									
361.00	3.50									
362.00	3.50									
363.00	3.50									
364.00	3.50									
365.00	3.50									
366.00	3.50									
367.00	3.50									
368.00	3.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
369.00	3.50									
370.00	3.50									
371.00	3.50									
372.00	3.50									
373.00	3.50									
374.00	3.50									
375.00	3.50									
376.00	3.50									
377.00	3.50									
378.00	3.50									
379.00	3.50									
380.00	3.50									
381.00	3.50									
382.00	3.50									
383.00	3.50									
384.00	3.50									
385.00	3.50									
386.00	3.50									
387.00	3.50									
388.00	3.50									
389.00	3.50									
390.00	3.50									
391.00	3.50									
392.00	3.50									
393.00	3.50									
394.00	3.50									
395.00	3.50									
396.00	3.50									
397.00	3.50									
398.00	3.50									
399.00	3.50									
400.00	3.50									
401.00	3.50									
402.00	3.50									
403.00	3.50									
404.00	3.50									
405.00	3.50									
406.00	3.50									
407.00	3.50									
408.00	3.50									
409.00	3.50									
410.00	3.50									
411.00	3.50									
412.00	3.50									
413.00	3.50									
414.00	3.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
415.00	3.50									
416.00	3.50									
417.00	3.50									
418.00	3.50									
419.00	3.50									
420.00	3.50									
421.00	3.50									
422.00	3.50									
423.00	3.50									
424.00	3.50									
425.00	3.50									
426.00	3.50									
427.00	3.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
428.00	3.50									
429.00	3.50									
430.00	3.50									
431.00	3.50									
432.00	3.50									
433.00	3.50									
434.00	3.50									
435.00	3.50									
436.00	3.50									
437.00	3.50									
438.00	3.50									
439.00	3.50									
440.00	3.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
4.34	3.53	✓					✓			
5.94	3.53	✓					✓			
7.52	3.53	✓					✓			
9.12	3.53	✓					✓			
10.69	3.53	✓					✓			
12.29	3.53	✓					✓			
13.87	3.53	✓					✓			
15.47	3.53	✓					✓			
17.04	3.53	✓					✓			
18.64	3.53	✓					✓			
20.22	3.53	✓					✓			
21.82	3.53	✓					✓			
23.39	3.53	✓					✓			
24.99	3.53	✓					✓			
25.80	3.53									
25.81	3.53	✓					✓			
26.57	3.53	✓					✓			
28.17	3.53	✓					✓			
29.74	3.53	✓					✓			
31.34	3.53	✓					✓			
32.92	3.53	✓					✓			
34.52	3.53	✓					✓			
36.09	3.53	✓					✓			
37.69	3.53	✓					✓			
39.70	3.53						✓			
40.87	3.53	✓					✓			
41.28	3.53						✓			
42.85	3.53						✓			
42.86	3.53									
44.04	3.53	✓					✓			
44.45	3.53						✓			
46.02	3.53						✓			
46.04	3.53									
47.22	3.53	✓					✓			
47.62	3.53									
47.63	3.53						✓			
49.20	3.53						✓			
50.39	3.53	✓					✓			
50.80	3.53						✓			
52.37	3.53						✓			
52.40	3.53									
53.57	3.53	✓					✓			
53.97	3.53									
53.98	3.53						✓			
55.55	3.53						✓			
55.56	3.53									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
56.74	3.53	✓					✓			
57.15	3.53						✓			
58.72	3.53						✓			
58.74	3.53									
59.92	3.53	✓					✓			
60.32	3.53									
60.33	3.53						✓			
61.90	3.53						✓			
63.09	3.53	✓					✓			
63.50	3.53						✓			
65.10	3.53						✓			
66.27	3.53	✓					✓			
66.67	3.53									
66.68	3.53						✓			
68.25	3.53						✓			
68.26	3.53									
69.44	3.53	✓					✓			
69.85	3.53						✓			
71.42	3.53						✓			
71.44	3.53									
72.62	3.53	✓					✓			
73.02	3.53									
73.03	3.53						✓			
74.60	3.53						✓			
75.79	3.53	✓					✓			
78.97	3.53	✓					✓			
82.14	3.53	✓					✓			
85.32	3.53	✓					✓			
88.49	3.53	✓					✓			
91.67	3.53	✓					✓			
94.84	3.53	✓					✓			
98.02	3.53	✓					✓			
101.19	3.53	✓					✓			
104.37	3.53	✓					✓			
107.54	3.53	✓					✓			
110.72	3.53	✓					✓			
113.89	3.53	✓					✓			
117.07	3.53	✓					✓			
120.24	3.53	✓					✓			
123.42	3.53	✓					✓			
126.59	3.53	✓					✓			
129.77	3.53	✓					✓			
132.94	3.53	✓					✓			
136.12	3.53	✓					✓			
139.29	3.53	✓					✓			
142.47	3.53	✓					✓			

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
145.64	3.53	✓					✓			
148.82	3.53	✓					✓			
151.99	3.53	✓					✓			
158.34	3.53	✓					✓			
164.69	3.53	✓					✓			
171.04	3.53	✓					✓			
177.39	3.53	✓					✓			
183.74	3.53	✓					✓			
190.09	3.53	✓					✓			
196.44	3.53	✓					✓			
202.79	3.53	✓					✓			
209.14	3.53	✓					✓			
215.49	3.53	✓					✓			
221.84	3.53	✓					✓			
228.19	3.53	✓					✓			
234.54	3.53	✓					✓			
240.89	3.53	✓					✓			
247.24	3.53	✓					✓			
247.26	3.53									
253.59	3.53	✓					✓			
266.29	3.53	✓					✓			
278.99	3.53	✓					✓			
291.69	3.53	✓					✓			
304.39	3.53	✓					✓			
329.79	3.53	✓					✓			
355.19	3.53	✓					✓			
380.59	3.53	✓					✓			
405.26	3.53	✓								
430.66	3.53	✓								
456.06	3.53	✓								
14.00	3.55			✓					✓	✓
14.50	3.55								✓	✓
15.00	3.55			✓					✓	✓
15.50	3.55								✓	✓
16.00	3.55			✓					✓	✓
17.00	3.55			✓					✓	✓
18.00	3.55		✓	✓	✓				✓	✓
19.00	3.55		✓	✓	✓				✓	✓
20.00	3.55		✓	✓	✓				✓	✓
20.60	3.55				✓				✓	✓
21.20	3.55		✓	✓	✓				✓	✓
22.40	3.55		✓	✓	✓				✓	✓
23.60	3.55		✓	✓	✓				✓	✓
24.30	3.55				✓				✓	✓
25.00	3.55		✓	✓	✓				✓	✓
25.80	3.55		✓	✓	✓				✓	✓

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
26.50	3.55		✓	✓	✓				✓	✓
27.30	3.55				✓				✓	✓
28.00	3.55		✓	✓	✓				✓	✓
30.00	3.55		✓	✓	✓				✓	✓
31.50	3.55		✓	✓	✓				✓	✓
32.50	3.55		✓	✓	✓				✓	✓
33.50	3.55		✓	✓	✓				✓	✓
34.50	3.55		✓	✓	✓				✓	✓
35.50	3.55		✓	✓	✓				✓	✓
36.50	3.55		✓	✓	✓				✓	✓
37.50	3.55		✓	✓	✓				✓	✓
38.70	3.55		✓	✓	✓				✓	✓
40.00	3.55		✓	✓	✓				✓	✓
41.20	3.55		✓	✓	✓				✓	✓
42.50	3.55		✓	✓	✓				✓	✓
43.70	3.55		✓	✓	✓				✓	✓
45.00	3.55		✓	✓	✓				✓	✓
46.20	3.55		✓	✓	✓				✓	✓
47.50	3.55		✓	✓	✓				✓	✓
48.70	3.55		✓	✓	✓				✓	✓
50.00	3.55		✓	✓	✓				✓	✓
51.50	3.55		✓	✓	✓				✓	✓
53.00	3.55		✓	✓	✓				✓	✓
54.50	3.55		✓	✓	✓				✓	✓
56.00	3.55		✓	✓	✓				✓	✓
58.00	3.55		✓	✓	✓				✓	✓
60.00	3.55		✓	✓	✓				✓	✓
61.50	3.55		✓	✓	✓				✓	✓
63.00	3.55		✓	✓	✓				✓	✓
65.00	3.55		✓	✓	✓				✓	✓
67.00	3.55		✓	✓	✓				✓	✓
69.00	3.55		✓	✓	✓				✓	✓
71.00	3.55		✓	✓	✓				✓	✓
73.00	3.55		✓	✓	✓				✓	✓
75.00	3.55		✓	✓	✓				✓	✓
77.50	3.55		✓	✓	✓				✓	✓
80.00	3.55		✓	✓	✓				✓	✓
82.50	3.55		✓	✓	✓				✓	✓
85.00	3.55		✓	✓	✓				✓	✓
87.50	3.55		✓	✓	✓				✓	✓
90.00	3.55		✓	✓	✓				✓	✓
92.50	3.55		✓	✓	✓				✓	✓
95.00	3.55		✓	✓	✓				✓	✓
97.50	3.55		✓	✓	✓				✓	✓
100.00	3.55		✓	✓	✓				✓	✓
103.00	3.55		✓	✓	✓				✓	✓

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
106.00	3.55		✓	✓	✓				✓	✓
109.00	3.55		✓	✓	✓				✓	✓
112.00	3.55		✓	✓	✓				✓	✓
115.00	3.55		✓	✓	✓				✓	✓
118.00	3.55		✓	✓	✓				✓	✓
122.00	3.55		✓	✓	✓				✓	✓
125.00	3.55		✓	✓	✓				✓	✓
128.00	3.55		✓	✓	✓				✓	✓
132.00	3.55		✓	✓	✓				✓	✓
136.00	3.55		✓	✓	✓				✓	✓
140.00	3.55		✓	✓	✓				✓	✓
142.50	3.55								✓	✓
145.00	3.55		✓	✓	✓				✓	✓
147.50	3.55				✓				✓	✓
150.00	3.55		✓	✓	✓				✓	✓
152.50	3.55				✓				✓	✓
155.00	3.55		✓	✓	✓				✓	✓
157.50	3.55				✓				✓	✓
160.00	3.55		✓	✓	✓				✓	✓
162.50	3.55				✓				✓	✓
165.00	3.55		✓	✓	✓				✓	✓
167.50	3.55				✓				✓	✓
170.00	3.55		✓	✓	✓				✓	✓
172.50	3.55				✓				✓	✓
175.00	3.55		✓	✓	✓				✓	✓
177.50	3.55				✓				✓	✓
180.00	3.55		✓	✓	✓				✓	✓
182.50	3.55				✓				✓	✓
185.00	3.55		✓	✓	✓				✓	✓
187.50	3.55				✓				✓	✓
190.00	3.55		✓	✓	✓				✓	✓
195.00	3.55		✓	✓	✓				✓	✓
200.00	3.55		✓	✓	✓				✓	✓

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
206.00	3.55								✓	✓
212.00	3.55			✓					✓	✓
218.00	3.55			✓					✓	✓
224.00	3.55			✓					✓	✓
230.00	3.55			✓					✓	
236.00	3.55			✓					✓	
243.00	3.55								✓	
250.00	3.55			✓					✓	
258.00	3.55			✓					✓	
265.00	3.55			✓					✓	
272.00	3.55			✓					✓	
280.00	3.55			✓					✓	
290.00	3.55			✓					✓	
300.00	3.55			✓					✓	
307.00	3.55			✓					✓	
315.00	3.55			✓					✓	
335.00	3.55			✓					✓	
345.00	3.55								✓	
355.00	3.55			✓					✓	
18.30	3.60									
19.80	3.60									
21.30	3.60									
23.00	3.60									
24.60	3.60									
26.20	3.60									
27.80	3.60									
29.30	3.60									
30.80	3.60									
32.50	3.60									
34.10	3.60									
35.60	3.60									
37.30	3.60									
43.40	3.60									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
4.00	4.00									
5.00	4.00									
6.00	4.00									
7.00	4.00									
8.00	4.00									
9.00	4.00									
10.00	4.00									
11.00	4.00									
12.00	4.00									
13.00	4.00									
14.00	4.00									
14.50	4.00							✓		
15.00	4.00									
16.00	4.00									
17.00	4.00									
18.00	4.00									
19.00	4.00									
20.00	4.00									
21.00	4.00									
22.00	4.00									
23.00	4.00									
23.50	4.00							✓		
24.00	4.00									
25.00	4.00									
26.00	4.00									
27.00	4.00									
28.00	4.00									
29.00	4.00									
30.00	4.00									
31.00	4.00									
32.00	4.00									
33.00	4.00									
33.50	4.00							✓		
34.00	4.00									
35.00	4.00									
36.00	4.00									
37.00	4.00									
38.00	4.00									
39.00	4.00									
39.50	4.00							✓		
40.00	4.00									
41.00	4.00									
42.00	4.00									
43.00	4.00									
44.00	4.00									
45.00	4.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
46.00	4.00									
47.00	4.00									
48.00	4.00									
49.00	4.00									
50.00	4.00									
51.00	4.00									
52.00	4.00									
53.00	4.00									
54.00	4.00									
54.50	4.00							✓		
55.00	4.00									
56.00	4.00									
57.00	4.00									
58.00	4.00									
59.00	4.00									
60.00	4.00									
61.00	4.00									
62.00	4.00									
63.00	4.00									
64.00	4.00									
65.00	4.00									
66.00	4.00									
67.00	4.00									
68.00	4.00									
69.00	4.00									
69.00	4.00							✓		
70.00	4.00									
71.00	4.00									
72.00	4.00									
73.00	4.00									
74.00	4.00									
75.00	4.00									
76.00	4.00									
77.00	4.00									
78.00	4.00									
79.00	4.00									
80.00	4.00									
81.00	4.00									
82.00	4.00									
83.00	4.00									
84.00	4.00							✓		
85.00	4.00									
86.00	4.00									
87.00	4.00									
88.00	4.00									
89.00	4.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
90.00	4.00									
91.00	4.00									
92.00	4.00									
93.00	4.00									
94.00	4.00									
95.00	4.00									
96.00	4.00									
97.00	4.00									
98.00	4.00									
99.00	4.00							✓		
100.00	4.00									
101.00	4.00									
102.00	4.00									
103.00	4.00									
104.00	4.00									
105.00	4.00									
106.00	4.00									
107.00	4.00									
108.00	4.00									
109.00	4.00									
110.00	4.00									
111.00	4.00									
112.00	4.00									
113.00	4.00									
114.00	4.00									
115.00	4.00									
116.00	4.00									
117.00	4.00									
118.00	4.00									
119.00	4.00							✓		
120.00	4.00									
121.00	4.00									
122.00	4.00									
123.00	4.00									
124.00	4.00									
125.00	4.00									
126.00	4.00									
127.00	4.00									
128.00	4.00									
129.00	4.00									
130.00	4.00									
131.00	4.00									
132.00	4.00									
133.00	4.00									
134.00	4.00									
135.00	4.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
136.00	4.00									
137.00	4.00									
138.00	4.00									
139.00	4.00									
140.00	4.00									
141.00	4.00									
142.00	4.00									
143.00	4.00									
144.00	4.00									
145.00	4.00									
146.00	4.00									
147.00	4.00									
148.00	4.00									
148.50	4.00							✓		
149.00	4.00									
150.00	4.00									
151.00	4.00									
152.00	4.00									
153.00	4.00									
154.00	4.00									
155.00	4.00									
156.00	4.00									
157.00	4.00									
158.00	4.00									
159.00	4.00									
160.00	4.00									
161.00	4.00									
162.00	4.00									
163.00	4.00									
164.00	4.00									
165.00	4.00									
166.00	4.00									
167.00	4.00									
168.00	4.00									
169.00	4.00									
170.00	4.00									
171.00	4.00									
172.00	4.00									
173.00	4.00							✓		
174.00	4.00									
175.00	4.00									
176.00	4.00									
177.00	4.00									
178.00	4.00									
179.00	4.00									
180.00	4.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
181.00	4.00									
182.00	4.00									
183.00	4.00									
184.00	4.00									
185.00	4.00									
186.00	4.00									
187.00	4.00									
188.00	4.00									
189.00	4.00									
190.00	4.00									
191.00	4.00									
192.00	4.00									
193.00	4.00									
194.00	4.00									
195.00	4.00									
196.00	4.00									
197.00	4.00									
198.00	4.00									
199.00	4.00									
200.00	4.00									
201.00	4.00									
202.00	4.00									
203.00	4.00									
204.00	4.00									
205.00	4.00									
206.00	4.00									
207.00	4.00									
208.00	4.00									
209.00	4.00									
210.00	4.00									
211.00	4.00									
212.00	4.00									
213.00	4.00									
214.00	4.00									
215.00	4.00									
216.00	4.00									
217.00	4.00									
218.00	4.00									
219.00	4.00									
220.00	4.00									
221.00	4.00									
222.00	4.00									
223.00	4.00									
224.00	4.00									
225.00	4.00									
226.00	4.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
227.00	4.00									
228.00	4.00									
229.00	4.00									
230.00	4.00									
231.00	4.00									
232.00	4.00									
233.00	4.00									
234.00	4.00									
235.00	4.00									
236.00	4.00									
237.00	4.00									
238.00	4.00									
239.00	4.00									
240.00	4.00									
241.00	4.00									
242.00	4.00									
243.00	4.00									
244.00	4.00									
245.00	4.00									
246.00	4.00									
247.00	4.00									
248.00	4.00									
249.00	4.00									
250.00	4.00									
251.00	4.00									
252.00	4.00									
253.00	4.00									
254.00	4.00									
255.00	4.00									
256.00	4.00									
257.00	4.00									
258.00	4.00									
259.00	4.00									
260.00	4.00									
261.00	4.00									
262.00	4.00									
263.00	4.00									
264.00	4.00									
265.00	4.00									
266.00	4.00									
267.00	4.00									
268.00	4.00									
269.00	4.00									
270.00	4.00									
271.00	4.00									
272.00	4.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
273.00	4.00									
274.00	4.00									
275.00	4.00									
276.00	4.00									
277.00	4.00									
278.00	4.00									
279.00	4.00									
280.00	4.00									
281.00	4.00									
282.00	4.00									
283.00	4.00									
284.00	4.00									
285.00	4.00									
286.00	4.00									
287.00	4.00									
288.00	4.00									
289.00	4.00									
290.00	4.00									
291.00	4.00									
292.00	4.00									
293.00	4.00									
294.00	4.00									
295.00	4.00									
296.00	4.00									
297.00	4.00									
298.00	4.00									
299.00	4.00									
300.00	4.00									
301.00	4.00									
302.00	4.00									
303.00	4.00									
304.00	4.00									
305.00	4.00									
306.00	4.00									
307.00	4.00									
308.00	4.00									
309.00	4.00									
310.00	4.00									
311.00	4.00									
312.00	4.00									
313.00	4.00									
314.00	4.00									
315.00	4.00									
316.00	4.00									
317.00	4.00									
318.00	4.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
319.00	4.00									
320.00	4.00									
321.00	4.00									
322.00	4.00									
323.00	4.00									
324.00	4.00									
325.00	4.00									
326.00	4.00									
327.00	4.00									
328.00	4.00									
329.00	4.00									
330.00	4.00									
331.00	4.00									
332.00	4.00									
333.00	4.00									
334.00	4.00									
335.00	4.00									
336.00	4.00									
337.00	4.00									
338.00	4.00									
339.00	4.00									
340.00	4.00									
341.00	4.00									
342.00	4.00									
343.00	4.00									
344.00	4.00									
345.00	4.00									
346.00	4.00									
347.00	4.00									
348.00	4.00									
349.00	4.00									
350.00	4.00									
351.00	4.00									
352.00	4.00									
353.00	4.00									
354.00	4.00									
355.00	4.00									
356.00	4.00									
357.00	4.00									
358.00	4.00									
359.00	4.00									
360.00	4.00									
361.00	4.00									
362.00	4.00									
363.00	4.00									
364.00	4.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
365.00	4.00									
366.00	4.00									
367.00	4.00									
368.00	4.00									
369.00	4.00									
370.00	4.00									
371.00	4.00									
372.00	4.00									
373.00	4.00									
374.00	4.00									
375.00	4.00									
376.00	4.00									
377.00	4.00									
378.00	4.00									
379.00	4.00									
380.00	4.00									
381.00	4.00									
382.00	4.00									
383.00	4.00									
384.00	4.00									
385.00	4.00									
386.00	4.00									
387.00	4.00									
388.00	4.00									
389.00	4.00									
390.00	4.00									
391.00	4.00									
392.00	4.00									
393.00	4.00									
394.00	4.00									
395.00	4.00									
396.00	4.00									
397.00	4.00									
398.00	4.00									
399.00	4.00									
400.00	4.00									
401.00	4.00									
402.00	4.00									
403.00	4.00									
404.00	4.00									
405.00	4.00									
406.00	4.00									
407.00	4.00									
408.00	4.00									
409.00	4.00									
410.00	4.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
411.00	4.00									
412.00	4.00									
413.00	4.00									
414.00	4.00									
415.00	4.00									
416.00	4.00									
417.00	4.00									
418.00	4.00									
419.00	4.00									
420.00	4.00									
421.00	4.00									
422.00	4.00									
423.00	4.00									
424.00	4.00									
425.00	4.00									
426.00	4.00									
427.00	4.00									
428.00	4.00									
429.00	4.00									
430.00	4.00									
431.00	4.00									
432.00	4.00									
433.00	4.00									
434.00	4.00									
435.00	4.00									
436.00	4.00									
437.00	4.00									
438.00	4.00									
439.00	4.00									
440.00	4.00									
441.00	4.00									
442.00	4.00									
443.00	4.00									
444.00	4.00									
445.00	4.00									
446.00	4.00									
447.00	4.00									
448.00	4.00									
449.00	4.00									
450.00	4.00									
451.00	4.00									
452.00	4.00									
453.00	4.00									
454.00	4.00									
455.00	4.00									
456.00	4.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
457.00	4.00									
458.00	4.00									
459.00	4.00									
460.00	4.00									
461.00	4.00									
462.00	4.00									
463.00	4.00									
464.00	4.00									
465.00	4.00									
466.00	4.00									
467.00	4.00									
468.00	4.00									
469.00	4.00									
470.00	4.00									
471.00	4.00									
472.00	4.00									
473.00	4.00									
474.00	4.00									
475.00	4.00									
476.00	4.00									
477.00	4.00									
478.00	4.00									
479.00	4.00									
480.00	4.00									
481.00	4.00									
482.00	4.00									
483.00	4.00									
484.00	4.00									
485.00	4.00									
486.00	4.00									
487.00	4.00									
488.00	4.00									
489.00	4.00									
490.00	4.00									
491.00	4.00									
492.00	4.00									
493.00	4.00									
494.00	4.00									
495.00	4.00									
496.00	4.00									
497.00	4.00									
498.00	4.00									
499.00	4.00									
500.00	4.00									
8.00	4.50									
9.00	4.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
9.50	4.50									
10.00	4.50									
10.50	4.50									
11.00	4.50									
12.00	4.50									
13.00	4.50									
15.00	4.50									
15.50	4.50									
16.00	4.50									
17.00	4.50									
18.00	4.50									
19.00	4.50									
20.00	4.50									
21.00	4.50									
21.50	4.50									
22.00	4.50									
22.50	4.50									
23.00	4.50									
24.00	4.50									
24.50	4.50									
25.00	4.50									
26.00	4.50									
27.00	4.50									
27.50	4.50									
28.00	4.50									
28.50	4.50									
29.00	4.50									
29.50	4.50									
30.00	4.50									
31.00	4.50									
31.50	4.50									
32.00	4.50									
33.00	4.50									
34.00	4.50									
34.50	4.50									
35.00	4.50									
35.50	4.50									
36.00	4.50									
37.00	4.50									
37.50	4.50									
38.00	4.50									
39.00	4.50									
40.00	4.50									
40.50	4.50									
41.00	4.50									
42.00	4.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
43.00	4.50									
44.00	4.50									
45.00	4.50									
46.00	4.50									
47.00	4.50									
48.00	4.50									
49.00	4.50									
50.00	4.50									
51.00	4.50									
53.00	4.50									
56.00	4.50									
57.00	4.50									
60.00	4.50									
61.00	4.50									
63.00	4.50									
64.00	4.50									
65.00	4.50									
66.00	4.50									
68.00	4.50									
69.00	4.50									
70.00	4.50									
71.00	4.50									
73.00	4.50									
74.00	4.50									
75.00	4.50									
76.00	4.50									
80.00	4.50									
81.00	4.50									
83.00	4.50									
85.00	4.50									
86.00	4.50									
89.00	4.50									
90.00	4.50									
92.00	4.50									
93.50	4.50									
95.00	4.50									
97.50	4.50									
98.00	4.50									
99.50	4.50									
100.00	4.50									
100.50	4.50									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
101.00	4.50									
103.50	4.50									
105.00	4.50									
106.00	4.50									
110.00	4.50									
115.00	4.50									
118.00	4.50									
120.00	4.50									
122.00	4.50									
124.00	4.50									
126.00	4.50									
128.00	4.50									
130.00	4.50									
131.50	4.50									
134.50	4.50									
137.00	4.50									
140.00	4.50									
140.50	4.50									
150.00	4.50									
153.00	4.50									
155.00	4.50									
157.00	4.50									
160.00	4.50									
165.00	4.50									
172.00	4.50									
178.00	4.50									
180.00	4.50									
185.00	4.50									
186.00	4.50									
189.50	4.50									
192.00	4.50									
208.00	4.50									
215.00	4.50									
218.50	4.50									
225.00	4.50									
227.00	4.50									
250.00	4.50									
267.00	4.50									
280.00	4.50									
315.00	4.50									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
4.00	5.00									
5.00	5.00									
6.00	5.00									
7.00	5.00									
8.00	5.00									
9.00	5.00									
10.00	5.00									
11.00	5.00									
12.00	5.00									
13.00	5.00									
14.00	5.00									
15.00	5.00									
16.00	5.00									
17.00	5.00									
18.00	5.00									
19.00	5.00									
20.00	5.00									
21.00	5.00									
22.00	5.00									
23.00	5.00									
24.00	5.00									
25.00	5.00									
26.00	5.00									
27.00	5.00									
28.00	5.00									
29.00	5.00									
30.00	5.00									
31.00	5.00									
32.00	5.00									
33.00	5.00									
34.00	5.00									
35.00	5.00									
36.00	5.00									
37.00	5.00									
38.00	5.00									
39.00	5.00									
40.00	5.00									
41.00	5.00									
42.00	5.00									
43.00	5.00									
44.00	5.00									
45.00	5.00									
46.00	5.00									
47.00	5.00									
48.00	5.00									
49.00	5.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
50.00	5.00									
51.00	5.00									
52.00	5.00									
53.00	5.00									
54.00	5.00									
55.00	5.00									
56.00	5.00									
57.00	5.00									
58.00	5.00									
59.00	5.00									
60.00	5.00									
61.00	5.00									
62.00	5.00									
63.00	5.00									
64.00	5.00									
65.00	5.00									
66.00	5.00									
67.00	5.00									
68.00	5.00									
69.00	5.00									
70.00	5.00									
71.00	5.00									
72.00	5.00									
73.00	5.00									
74.00	5.00									
75.00	5.00									
76.00	5.00									
77.00	5.00									
78.00	5.00									
79.00	5.00									
80.00	5.00									
81.00	5.00									
82.00	5.00									
83.00	5.00									
84.00	5.00									
85.00	5.00									
86.00	5.00									
87.00	5.00									
88.00	5.00									
89.00	5.00									
90.00	5.00									
91.00	5.00									
92.00	5.00									
93.00	5.00									
94.00	5.00									
95.00	5.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
96.00	5.00									
97.00	5.00									
98.00	5.00									
99.00	5.00									
100.00	5.00									
101.00	5.00									
102.00	5.00									
103.00	5.00									
104.00	5.00									
105.00	5.00									
106.00	5.00									
107.00	5.00									
108.00	5.00									
109.00	5.00									
110.00	5.00									
111.00	5.00									
112.00	5.00									
113.00	5.00									
114.00	5.00									
115.00	5.00									
116.00	5.00									
117.00	5.00									
118.00	5.00									
119.00	5.00									
120.00	5.00									
121.00	5.00									
122.00	5.00									
123.00	5.00									
124.00	5.00									
125.00	5.00									
126.00	5.00									
127.00	5.00									
128.00	5.00									
129.00	5.00									
130.00	5.00									
131.00	5.00									
132.00	5.00									
133.00	5.00									
134.00	5.00									
135.00	5.00									
136.00	5.00									
137.00	5.00									
138.00	5.00									
139.00	5.00									
140.00	5.00									
141.00	5.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
142.00	5.00									
143.00	5.00									
144.00	5.00									
145.00	5.00									
146.00	5.00									
147.00	5.00									
148.00	5.00									
149.00	5.00									
150.00	5.00									
151.00	5.00									
152.00	5.00									
153.00	5.00									
154.00	5.00									
155.00	5.00									
156.00	5.00									
157.00	5.00									
158.00	5.00									
159.00	5.00									
160.00	5.00									
161.00	5.00									
162.00	5.00									
163.00	5.00									
164.00	5.00									
165.00	5.00									
166.00	5.00									
167.00	5.00									
168.00	5.00									
169.00	5.00									
170.00	5.00									
171.00	5.00									
172.00	5.00									
173.00	5.00									
174.00	5.00									
175.00	5.00									
176.00	5.00									
177.00	5.00									
178.00	5.00									
179.00	5.00									
180.00	5.00									
181.00	5.00									
182.00	5.00									
183.00	5.00									
184.00	5.00									
185.00	5.00									
186.00	5.00									
187.00	5.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
188.00	5.00									
189.00	5.00									
190.00	5.00									
191.00	5.00									
192.00	5.00									
193.00	5.00									
194.00	5.00									
195.00	5.00									
196.00	5.00									
197.00	5.00									
198.00	5.00									
199.00	5.00									
200.00	5.00									
201.00	5.00									
202.00	5.00									
203.00	5.00									
204.00	5.00									
205.00	5.00									
206.00	5.00									
207.00	5.00									
208.00	5.00									
209.00	5.00									
210.00	5.00									
211.00	5.00									
212.00	5.00									
213.00	5.00									
214.00	5.00									
215.00	5.00									
216.00	5.00									
217.00	5.00									
218.00	5.00									
219.00	5.00									
220.00	5.00									
221.00	5.00									
222.00	5.00									
223.00	5.00									
224.00	5.00									
225.00	5.00									
226.00	5.00									
227.00	5.00									
228.00	5.00									
229.00	5.00									
230.00	5.00									
231.00	5.00									
232.00	5.00									
233.00	5.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
234.00	5.00									
235.00	5.00									
236.00	5.00									
237.00	5.00									
238.00	5.00									
239.00	5.00									
240.00	5.00									
241.00	5.00									
242.00	5.00									
243.00	5.00									
244.00	5.00									
245.00	5.00									
246.00	5.00									
247.00	5.00									
248.00	5.00									
249.00	5.00									
250.00	5.00									
251.00	5.00									
252.00	5.00									
253.00	5.00									
254.00	5.00									
255.00	5.00									
256.00	5.00									
257.00	5.00									
258.00	5.00									
259.00	5.00									
260.00	5.00									
261.00	5.00									
262.00	5.00									
263.00	5.00									
264.00	5.00									
265.00	5.00									
266.00	5.00									
267.00	5.00									
268.00	5.00									
269.00	5.00									
270.00	5.00									
271.00	5.00									
272.00	5.00									
273.00	5.00									
274.00	5.00									
275.00	5.00									
276.00	5.00									
277.00	5.00									
278.00	5.00									
279.00	5.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
280.00	5.00									
281.00	5.00									
282.00	5.00									
283.00	5.00									
284.00	5.00									
285.00	5.00									
286.00	5.00									
287.00	5.00									
288.00	5.00									
289.00	5.00									
290.00	5.00									
291.00	5.00									
292.00	5.00									
293.00	5.00									
294.00	5.00									
295.00	5.00									
296.00	5.00									
297.00	5.00									
298.00	5.00									
299.00	5.00									
300.00	5.00									
301.00	5.00									
302.00	5.00									
303.00	5.00									
304.00	5.00									
305.00	5.00									
306.00	5.00									
307.00	5.00									
308.00	5.00									
309.00	5.00									
310.00	5.00									
311.00	5.00									
312.00	5.00									
313.00	5.00									
314.00	5.00									
315.00	5.00									
316.00	5.00									
317.00	5.00									
318.00	5.00									
319.00	5.00									
320.00	5.00									
321.00	5.00									
322.00	5.00									
323.00	5.00									
324.00	5.00									
325.00	5.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
326.00	5.00									
327.00	5.00									
328.00	5.00									
329.00	5.00									
330.00	5.00									
331.00	5.00									
332.00	5.00									
333.00	5.00									
334.00	5.00									
335.00	5.00									
336.00	5.00									
337.00	5.00									
338.00	5.00									
339.00	5.00									
340.00	5.00									
341.00	5.00									
342.00	5.00									
343.00	5.00									
344.00	5.00									
345.00	5.00									
346.00	5.00									
347.00	5.00									
348.00	5.00									
349.00	5.00									
350.00	5.00									
351.00	5.00									
352.00	5.00									
353.00	5.00									
354.00	5.00									
355.00	5.00									
356.00	5.00									
357.00	5.00									
358.00	5.00									
359.00	5.00									
360.00	5.00									
361.00	5.00									
362.00	5.00									
363.00	5.00									
364.00	5.00									
365.00	5.00									
366.00	5.00									
367.00	5.00									
368.00	5.00									
369.00	5.00									
370.00	5.00									
371.00	5.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
372.00	5.00									
373.00	5.00									
374.00	5.00									
375.00	5.00									
376.00	5.00									
377.00	5.00									
378.00	5.00									
379.00	5.00									
380.00	5.00									
381.00	5.00									
382.00	5.00									
383.00	5.00									
384.00	5.00									
385.00	5.00									
386.00	5.00									
387.00	5.00									
388.00	5.00									
389.00	5.00									
390.00	5.00									
391.00	5.00									
392.00	5.00									
393.00	5.00									
394.00	5.00									
395.00	5.00									
396.00	5.00									
397.00	5.00									
398.00	5.00									
399.00	5.00									
400.00	5.00									
37.50	5.30			✓					✓	✓
38.70	5.30			✓					✓	✓
40.00	5.30		✓	✓	✓				✓	✓
41.20	5.30		✓	✓	✓				✓	✓
41.40	5.30									
42.50	5.30		✓	✓	✓				✓	✓
43.70	5.30		✓	✓	✓				✓	✓
45.00	5.30		✓	✓	✓				✓	✓
46.20	5.30		✓	✓	✓				✓	✓
47.50	5.30		✓	✓	✓				✓	✓
48.70	5.30		✓	✓	✓				✓	✓
50.00	5.30		✓	✓	✓				✓	✓
51.50	5.30		✓	✓	✓				✓	✓
53.00	5.30		✓	✓	✓				✓	✓
54.40	5.30									
54.50	5.30		✓	✓	✓				✓	✓
56.00	5.30		✓	✓	✓				✓	✓

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
58.00	5.30		✓	✓	✓				✓	✓
60.00	5.30		✓	✓	✓				✓	✓
61.50	5.30		✓	✓	✓				✓	✓
63.00	5.30		✓	✓	✓				✓	✓
65.00	5.30		✓	✓	✓				✓	✓
67.00	5.30		✓	✓	✓				✓	✓
69.00	5.30		✓	✓	✓				✓	✓
71.00	5.30		✓	✓	✓				✓	✓
73.00	5.30		✓	✓	✓				✓	✓
75.00	5.30		✓	✓	✓				✓	✓
77.50	5.30		✓	✓	✓				✓	✓
80.00	5.30		✓	✓	✓				✓	✓
82.50	5.30		✓	✓	✓				✓	✓
85.00	5.30		✓	✓	✓				✓	✓
87.50	5.30		✓	✓	✓				✓	✓
90.00	5.30		✓	✓	✓				✓	✓
92.50	5.30		✓	✓	✓				✓	✓
95.00	5.30		✓	✓	✓				✓	✓
97.50	5.30		✓	✓	✓				✓	✓
100.00	5.30		✓	✓	✓				✓	✓
103.00	5.30		✓	✓	✓				✓	✓
106.00	5.30		✓	✓	✓				✓	✓
109.00	5.30		✓	✓	✓				✓	✓
112.00	5.30		✓	✓	✓				✓	✓
115.00	5.30		✓	✓	✓				✓	✓
118.00	5.30		✓	✓	✓				✓	✓
122.00	5.30		✓	✓	✓				✓	✓
125.00	5.30		✓	✓	✓				✓	✓
128.00	5.30		✓	✓	✓				✓	✓
132.00	5.30		✓	✓	✓				✓	✓
136.00	5.30		✓	✓	✓				✓	✓
140.00	5.30		✓	✓	✓				✓	✓
142.50	5.30								✓	✓
145.00	5.30		✓	✓	✓				✓	✓
147.50	5.30				✓				✓	✓
150.00	5.30		✓	✓	✓				✓	✓
152.50	5.30								✓	✓
155.00	5.30		✓	✓	✓				✓	✓
157.50	5.30				✓					
160.00	5.30		✓	✓	✓				✓	✓
162.50	5.30								✓	✓
165.00	5.30		✓	✓	✓				✓	✓
167.50	5.30								✓	✓
170.00	5.30		✓	✓	✓				✓	✓
172.50	5.30								✓	✓
175.00	5.30		✓	✓	✓				✓	✓

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
177.50	5.30								✓	✓
180.00	5.30		✓	✓	✓				✓	✓
182.50	5.30				✓				✓	✓
185.00	5.30		✓	✓	✓				✓	✓
187.50	5.30				✓				✓	✓
190.00	5.30		✓	✓	✓				✓	✓
195.00	5.30		✓	✓	✓				✓	✓
200.00	5.30		✓	✓	✓				✓	✓
203.00	5.30								✓	✓
206.00	5.30		✓		✓				✓	✓
212.00	5.30		✓		✓				✓	✓
218.00	5.30		✓		✓				✓	✓
224.00	5.30		✓		✓				✓	✓
227.00	5.30				✓				✓	✓
230.00	5.30		✓		✓				✓	✓
236.00	5.30		✓		✓				✓	✓
239.00	5.30				✓				✓	✓
243.00	5.30		✓		✓				✓	✓
250.00	5.30		✓		✓				✓	✓
254.00	5.30				✓				✓	✓
258.00	5.30		✓		✓				✓	✓
261.00	5.30				✓				✓	✓
265.00	5.30		✓		✓				✓	✓
268.00	5.30				✓				✓	✓
272.00	5.30		✓		✓				✓	✓
276.00	5.30				✓				✓	✓
280.00	5.30		✓		✓				✓	✓
283.00	5.30				✓				✓	✓
286.00	5.30				✓				✓	✓
290.00	5.30		✓		✓				✓	✓
295.00	5.30				✓				✓	✓
300.00	5.30		✓		✓				✓	✓
303.00	5.30				✓				✓	✓
307.00	5.30		✓		✓				✓	✓
311.00	5.30				✓				✓	✓
315.00	5.30		✓		✓				✓	✓
320.00	5.30				✓				✓	✓
325.00	5.30		✓		✓				✓	✓
330.00	5.30				✓				✓	✓
335.00	5.30		✓		✓				✓	✓
340.00	5.30				✓				✓	✓
345.00	5.30		✓		✓				✓	✓
350.00	5.30				✓				✓	✓
355.00	5.30		✓		✓				✓	✓
360.00	5.30				✓				✓	✓
365.00	5.30		✓		✓				✓	✓

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
370.00	5.30				✓				✓	✓
375.00	5.30		✓		✓				✓	✓
379.00	5.30				✓				✓	✓
383.00	5.30				✓				✓	✓
387.00	5.30		✓		✓				✓	✓
391.00	5.30				✓				✓	✓
395.00	5.30				✓				✓	✓
400.00	5.30		✓		✓				✓	✓
10.46	5.33	✓					✓			
12.07	5.33	✓					✓			
13.64	5.33	✓					✓			
15.24	5.33	✓					✓			
16.81	5.33	✓					✓			
18.42	5.33	✓					✓			
19.99	5.33	✓					✓			
21.59	5.33	✓					✓			
23.16	5.33	✓					✓			
24.77	5.33	✓					✓			
26.34	5.33	✓					✓			
27.94	5.33	✓					✓			
29.51	5.33	✓					✓			
31.12	5.33	✓					✓			
32.69	5.33	✓					✓			
34.29	5.33	✓					✓			
37.47	5.33	✓					✓			
40.64	5.33	✓					✓			
43.82	5.33	✓					✓			
46.99	5.33	✓					✓			
50.17	5.33	✓					✓			
53.34	5.33	✓					✓			
56.52	5.33	✓					✓			
59.69	5.33	✓					✓			
62.87	5.33	✓					✓			
66.04	5.33	✓					✓			
69.22	5.33	✓					✓			
72.39	5.33	✓					✓			
74.63	5.33									
75.57	5.33	✓					✓			
78.74	5.33	✓					✓			
79.73	5.33									
79.78	5.33						✓			
81.92	5.33	✓					✓			
85.09	5.33	✓					✓			
88.27	5.33	✓					✓			
89.69	5.33						✓			
91.44	5.33	✓					✓			

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
94.62	5.33	✓					✓			
97.79	5.33	✓					✓			
100.00	5.33						✓			
100.97	5.33	✓					✓			
104.14	5.33	✓					✓			
107.32	5.33	✓					✓			
109.52	5.33						✓			
109.54	5.33									
110.49	5.33	✓					✓			
113.67	5.33	✓					✓			
116.84	5.33	✓					✓			
117.48	5.33						✓			
120.02	5.33	✓					✓			
120.65	5.33						✓			
123.19	5.33	✓					✓			
123.83	5.33						✓			
126.37	5.33	✓					✓			
127.00	5.33						✓			
129.54	5.33	✓					✓			
130.18	5.33						✓			
132.72	5.33	✓					✓			
133.35	5.33						✓			
135.89	5.33	✓					✓			
136.53	5.33						✓			
139.07	5.33	✓					✓			
139.70	5.33						✓			
142.24	5.33	✓					✓			
142.88	5.33						✓			
145.42	5.33	✓					✓			
146.05	5.33						✓			
148.59	5.33	✓					✓			
149.23	5.33						✓			
151.77	5.33	✓					✓			
154.94	5.33						✓			
155.00	5.33									
158.12	5.33	✓					✓			
161.29	5.33						✓			
164.47	5.33	✓					✓			
167.64	5.33						✓			
167.70	5.33									
170.82	5.33	✓					✓			

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
173.99	5.33						✓			
174.00	5.33									
177.17	5.33	✓					✓			
183.52	5.33	✓					✓			
189.87	5.33	✓					✓			
196.22	5.33	✓					✓			
202.57	5.33	✓					✓			
208.92	5.33	✓					✓			
215.27	5.33	✓					✓			
221.62	5.33	✓					✓			
227.97	5.33	✓					✓			
234.32	5.33	✓					✓			
240.67	5.33	✓					✓			
247.02	5.33	✓					✓			
253.37	5.33	✓					✓			
266.07	5.33	✓					✓			
278.77	5.33	✓					✓			
291.47	5.33	✓					✓			
304.17	5.33	✓					✓			
329.57	5.33	✓					✓			
354.97	5.33	✓					✓			
380.37	5.33	✓					✓			
405.26	5.33	✓					✓			
430.66	5.33	✓					✓			
456.06	5.33	✓					✓			
481.41	5.33									
481.45	5.33	✓								
481.46	5.33						✓			
506.81	5.33									
506.85	5.33	✓								
506.86	5.33						✓			
532.21	5.33									
532.25	5.33	✓								
532.26	5.33						✓			
557.61	5.33									
557.65	5.33	✓								
557.66	5.33						✓			
582.68	5.33	✓					✓			
608.08	5.33	✓					✓			
633.48	5.33	✓					✓			
658.88	5.33	✓					✓			

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
44.20	5.70									
44.30	5.70					✓				
45.30	5.70					✓				
47.60	5.70							✓		
49.20	5.70									
49.30	5.70					✓				
49.60	5.70							✓		
51.60	5.70							✓		
52.30	5.70					✓				
52.50	5.70									
52.60	5.70							✓		
54.20	5.70									
54.30	5.70					✓				
54.60	5.70							✓		
55.30	5.70					✓				
55.60	5.70							✓		
57.60	5.70							✓		
59.20	5.70									
59.30	5.70					✓				
59.60	5.70							✓		
59.70	5.70									
61.60	5.70							✓		
62.00	5.70									
62.30	5.70					✓				
62.60	5.70							✓		
64.00	5.70									
64.20	5.70									
64.30	5.70					✓				
64.60	5.70							✓		
66.60	5.70							✓		
69.00	5.70									
69.20	5.70									
69.30	5.70					✓				
69.60	5.70							✓		
70.60	5.70							✓		
74.00	5.70									
74.20	5.70									
74.30	5.70					✓				
74.60	5.70							✓		
79.00	5.70									
79.20	5.70									
79.30	5.70					✓				
79.60	5.70							✓		
84.00	5.70									
84.10	5.70									
84.30	5.70					✓				

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
84.60	5.70							✓		
89.00	5.70									
89.10	5.70									
89.30	5.70					✓				
89.60	5.70							✓		
94.00	5.70									
94.10	5.70									
94.30	5.70					✓				
94.60	5.70							✓		
99.00	5.70									
99.10	5.70									
99.30	5.70					✓				
99.60	5.70							✓		
101.60	5.70							✓		
104.00	5.70									
104.10	5.70									
104.30	5.70					✓				
104.60	5.70							✓		
109.00	5.70									
109.10	5.70									
109.30	5.70					✓				
109.60	5.70							✓		
111.60	5.70							✓		
114.00	5.70									
114.30	5.70					✓				
114.60	5.70							✓		
119.00	5.70									
119.30	5.70					✓				
119.60	5.70							✓		
124.00	5.70									
124.30	5.70					✓				
124.60	5.70							✓		
129.30	5.70					✓				
129.60	5.70							✓		
131.60	5.70							✓		
134.30	5.70					✓				
134.60	5.70							✓		
139.30	5.70					✓				
139.60	5.70							✓		
144.30	5.70					✓				
144.60	5.70							✓		
149.30	5.70					✓		✓		
149.60	5.70							✓		
154.30	5.70					✓		✓		
159.30	5.70					✓		✓		
164.30	5.70					✓		✓		

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
169.30	5.70					✓		✓		
174.30	5.70					✓		✓		
179.30	5.70					✓		✓		
184.30	5.70					✓		✓		
189.30	5.70					✓		✓		
194.30	5.70					✓		✓		
199.30	5.70					✓		✓		
209.30	5.70					✓		✓		
219.30	5.70					✓		✓		
229.30	5.70					✓		✓		
239.30	5.70					✓		✓		
249.30	5.70					✓		✓		
259.30	5.70					✓		✓		
269.30	5.70					✓		✓		
279.30	5.70					✓		✓		
289.30	5.70					✓		✓		
299.30	5.70					✓		✓		
309.30	5.70					✓				
319.30	5.70					✓				
329.30	5.70									
339.30	5.70					✓				
359.30	5.70					✓				
379.30	5.70					✓				
389.30	5.70					✓				
399.30	5.70					✓				
419.30	5.70					✓				
439.30	5.70					✓				
459.30	5.70					✓				
479.30	5.70					✓				
489.30	5.70					✓				
499.30	5.70					✓				
6.00	6.00									
7.00	6.00									
9.00	6.00									
10.00	6.00									
11.00	6.00									
12.00	6.00									
13.00	6.00									
14.00	6.00									
15.00	6.00									
16.00	6.00									
18.00	6.00									
19.00	6.00									
19.50	6.00									
20.00	6.00									
21.00	6.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
22.00	6.00									
23.00	6.00									
23.50	6.00									
24.00	6.00									
25.50	6.00									
26.00	6.00									
27.00	6.00									
28.00	6.00									
29.00	6.00									
30.00	6.00									
31.00	6.00									
32.00	6.00									
33.00	6.00									
34.00	6.00									
35.00	6.00									
36.00	6.00									
37.00	6.00									
38.00	6.00									
39.00	6.00									
39.50	6.00									
40.00	6.00									
41.00	6.00									
41.50	6.00									
42.00	6.00									
43.00	6.00									
44.00	6.00									
44.50	6.00									
45.00	6.00									
46.00	6.00									
47.00	6.00									
48.00	6.00									
49.00	6.00									
50.00	6.00									
51.00	6.00									
52.00	6.00									
53.00	6.00									
54.00	6.00									
55.00	6.00									
56.00	6.00									
57.00	6.00									
58.00	6.00									
59.50	6.00									
60.00	6.00									
61.00	6.00									
62.00	6.00									
63.00	6.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
64.00	6.00									
65.00	6.00									
66.00	6.00									
67.00	6.00									
68.00	6.00									
69.00	6.00									
70.00	6.00									
72.00	6.00									
73.00	6.00									
74.00	6.00									
75.00	6.00									
76.00	6.00									
78.00	6.00									
78.50	6.00									
79.00	6.00									
80.00	6.00									
81.00	6.00									
81.50	6.00									
84.00	6.00									
85.00	6.00									
86.00	6.00									
88.00	6.00									
90.00	6.00									
92.00	6.00									
93.00	6.00									
95.00	6.00									
96.00	6.00									
98.00	6.00									
99.00	6.00									
100.00	6.00									
101.00	6.00									
103.00	6.00									
104.00	6.00									
104.50	6.00									
105.00	6.00									
106.00	6.00									
108.00	6.00									
110.00	6.00									
111.00	6.00									
112.00	6.00									
114.00	6.00									
115.00	6.00									
118.00	6.00									
120.00	6.00									
122.00	6.00									
123.00	6.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
124.00	6.00									
125.00	6.00									
128.00	6.00									
130.00	6.00									
132.00	6.00									
134.00	6.00									
135.00	6.00									
136.00	6.00									
138.00	6.00									
139.20	6.00									
140.00	6.00									
142.00	6.00									
145.00	6.00									
146.00	6.00									
148.00	6.00									
150.00	6.00									
153.00	6.00									
154.00	6.00									
155.00	6.00									
155.50	6.00									
156.00	6.00									
157.00	6.00									
158.00	6.00									
159.00	6.00									
160.00	6.00									
162.00	6.00									
165.00	6.00									
166.00	6.00									
169.00	6.00									
170.00	6.00									
172.00	6.00									
175.00	6.00									
176.00	6.00									
180.00	6.00									
182.00	6.00									
184.00	6.00									
185.00	6.00									
188.00	6.00									
190.00	6.00									
191.20	6.00									
193.00	6.00									
195.00	6.00									
196.00	6.00									
198.00	6.00									
200.00	6.00									
201.00	6.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
202.00	6.00									
203.00	6.00									
203.50	6.00									
204.00	6.00									
205.00	6.00									
208.00	6.00									
210.00	6.00									
212.00	6.00									
215.00	6.00									
216.00	6.00									
217.00	6.00									
218.00	6.00									
220.00	6.00									
221.00	6.00									
222.50	6.00							✓		
225.00	6.00									
226.00	6.00									
229.00	6.00									
230.00	6.00									
235.00	6.00									
236.00	6.00									
237.00	6.00									
237.50	6.00									
238.00	6.00									
240.00	6.00									
242.00	6.00									
244.00	6.00									
247.00	6.00									
249.00	6.00									
250.00	6.00									
258.00	6.00									
259.00	6.00									
260.00	6.00									
262.00	6.00									
265.00	6.00									
266.00	6.00									
270.00	6.00									
272.00	6.00							✓		
278.00	6.00									
280.00	6.00									
284.00	6.00									
285.00	6.00									
288.00	6.00									
290.00	6.00									
294.00	6.00									
295.00	6.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
300.00	6.00									
301.00	6.00									
305.00	6.00									
310.00	6.00									
311.00	6.00									
315.00	6.00									
320.00	6.00									
321.50	6.00							✓		
324.00	6.00									
325.00	6.00									
330.00	6.00									
333.00	6.00									
335.00	6.00									
338.00	6.00									
340.00	6.00									
345.00	6.00									
348.00	6.00									
350.00	6.00									
355.00	6.00									
358.00	6.00									
360.00	6.00									
365.00	6.00									
368.00	6.00									
370.00	6.00									
375.00	6.00									
376.00	6.00							✓		
380.00	6.00									
385.00	6.00									
386.00	6.00									
388.00	6.00									
389.00	6.00									
390.00	6.00									
392.00	6.00									
394.00	6.00									
395.00	6.00									
398.00	6.00									
400.00	6.00									
415.00	6.00									
422.00	6.00									
425.50	6.00							✓		
429.00	6.00									
446.00	6.00									
448.00	6.00									
450.00	6.00									
453.00	6.00									
470.00	6.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
478.00	6.00									
480.00	6.00									
483.00	6.00									
486.00	6.00									
489.00	6.00									
500.00	6.00									
504.00	6.00									
505.00	6.00									
508.00	6.00									
510.00	6.00									
516.00	6.00									

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
530.00	6.00									
540.00	6.00									
544.00	6.00									
549.00	6.00									
552.00	6.00									
555.00	6.00									
560.00	6.00									
569.00	6.00									
575.00	6.00									
579.00	6.00									

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
113.67	6.99	✓					✓			
114.70	6.99									
114.71	6.99						✓			
116.84	6.99	✓					✓			
120.02	6.99	✓					✓			
123.19	6.99	✓					✓			
124.60	6.99									
124.61	6.99						✓			
126.37	6.99	✓					✓			
129.54	6.99	✓					✓			
132.72	6.99	✓					✓			
134.50	6.99									
134.54	6.99						✓			
135.89	6.99	✓					✓			
139.07	6.99	✓					✓			
142.24	6.99	✓					✓			
145.42	6.99	✓					✓			
148.59	6.99	✓					✓			
151.77	6.99	✓					✓			
155.58	6.99						✓			
155.60	6.99									
158.12	6.99	✓					✓			
159.50	6.99									
159.54	6.99						✓			
161.90	6.99									
161.93	6.99						✓			
164.47	6.99	✓					✓			
166.70	6.99						✓			
168.28	6.99						✓			
168.30	6.99									
170.82	6.99	✓					✓			
174.60	6.99									
174.63	6.99						✓			
177.17	6.99	✓					✓			
180.98	6.99						✓			
181.00	6.99									
183.52	6.99	✓					✓			
187.30	6.99									
187.33	6.99						✓			
189.87	6.99	✓					✓			
193.68	6.99						✓			
193.70	6.99									
196.22	6.99	✓					✓			
200.00	6.99									
200.03	6.99						✓			
202.57	6.99	✓					✓			

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
208.92	6.99						✓			
215.27	6.99	✓					✓			
221.62	6.99						✓			
227.97	6.99	✓					✓			
234.32	6.99						✓			
240.67	6.99	✓					✓			
247.00	6.99									
247.02	6.99						✓			
253.37	6.99	✓					✓			
259.72	6.99						✓			
266.07	6.99	✓					✓			
272.40	6.99									
272.42	6.99						✓			
278.77	6.99	✓					✓			
285.10	6.99									
285.12	6.99						✓			
291.47	6.99	✓					✓			
297.80	6.99									
297.82	6.99						✓			
304.17	6.99	✓					✓			
310.50	6.99									
310.52	6.99						✓			
316.87	6.99	✓					✓			
323.20	6.99									
323.22	6.99						✓			
329.57	6.99	✓					✓			
335.90	6.99									
335.92	6.99						✓			
342.27	6.99	✓					✓			
354.97	6.99	✓					✓			
367.67	6.99	✓					✓			
380.37	6.99	✓					✓			
393.07	6.99	✓					✓			
405.26	6.99	✓					✓			
417.96	6.99	✓					✓			
430.66	6.99	✓					✓			
443.36	6.99	✓					✓			
456.06	6.99	✓					✓			
468.76	6.99	✓					✓			
481.46	6.99	✓					✓			
494.16	6.99	✓					✓			
506.86	6.99	✓					✓			
532.26	6.99	✓					✓			
557.66	6.99	✓					✓			
582.68	6.99	✓					✓			
608.08	6.99	✓					✓			

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
633.48	6.99	✓					✓			
658.88	6.99	✓					✓			
109.00	7.00		✓	✓	✓				✓	✓
112.00	7.00		✓	✓	✓				✓	✓
115.00	7.00		✓	✓	✓				✓	✓
118.00	7.00		✓	✓	✓				✓	✓
122.00	7.00		✓	✓	✓				✓	✓
125.00	7.00		✓	✓	✓				✓	✓
128.00	7.00		✓	✓	✓				✓	✓
132.00	7.00		✓	✓	✓				✓	✓
136.00	7.00		✓	✓	✓				✓	✓
140.00	7.00		✓	✓	✓				✓	✓
142.50	7.00				✓					
145.00	7.00		✓	✓	✓				✓	✓
147.50	7.00				✓					
150.00	7.00		✓	✓	✓				✓	✓
152.50	7.00				✓					
155.00	7.00		✓	✓	✓				✓	✓
157.50	7.00				✓					
160.00	7.00		✓	✓	✓				✓	✓
162.50	7.00				✓					
165.00	7.00		✓	✓	✓				✓	✓
167.50	7.00				✓					
170.00	7.00		✓	✓	✓				✓	✓
172.50	7.00				✓					
175.00	7.00		✓	✓	✓				✓	✓
177.50	7.00				✓					
180.00	7.00		✓	✓	✓				✓	✓
185.00	7.00		✓	✓	✓				✓	✓
190.00	7.00		✓	✓	✓				✓	✓
195.00	7.00		✓	✓	✓				✓	✓
200.00	7.00		✓	✓	✓				✓	✓
203.00	7.00				✓				✓	✓
206.00	7.00		✓	✓	✓				✓	✓
212.00	7.00		✓	✓	✓				✓	✓
218.00	7.00		✓	✓	✓				✓	✓
224.00	7.00		✓	✓	✓				✓	✓
227.00	7.00								✓	✓
230.00	7.00		✓	✓	✓				✓	✓
236.00	7.00		✓	✓	✓				✓	✓
239.00	7.00								✓	✓
243.00	7.00		✓	✓	✓				✓	✓
250.00	7.00		✓	✓	✓				✓	✓
254.00	7.00				✓				✓	✓
258.00	7.00		✓	✓	✓				✓	✓
261.00	7.00				✓				✓	✓

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
265.00	7.00		✓	✓	✓				✓	✓
268.00	7.00				✓				✓	✓
272.00	7.00		✓	✓	✓				✓	✓
276.00	7.00				✓				✓	✓
280.00	7.00		✓	✓	✓				✓	✓
283.00	7.00				✓				✓	✓
286.00	7.00				✓				✓	✓
290.00	7.00		✓	✓	✓				✓	✓
295.00	7.00				✓				✓	✓
300.00	7.00		✓	✓	✓				✓	✓
303.00	7.00				✓				✓	✓
307.00	7.00		✓	✓	✓				✓	✓
311.00	7.00				✓				✓	✓
315.00	7.00		✓	✓	✓				✓	✓
320.00	7.00				✓				✓	✓
325.00	7.00		✓	✓	✓				✓	✓
330.00	7.00				✓				✓	✓
335.00	7.00		✓	✓	✓				✓	✓
340.00	7.00				✓				✓	✓
345.00	7.00		✓	✓	✓				✓	✓
350.00	7.00				✓				✓	✓
355.00	7.00		✓	✓	✓				✓	✓
360.00	7.00				✓				✓	✓
365.00	7.00		✓	✓	✓				✓	✓
370.00	7.00				✓				✓	✓
375.00	7.00		✓	✓	✓				✓	✓
379.00	7.00				✓				✓	✓
383.00	7.00				✓				✓	✓
387.00	7.00		✓	✓	✓				✓	✓
391.00	7.00				✓				✓	✓
395.00	7.00				✓				✓	✓
400.00	7.00		✓		✓				✓	✓
406.00	7.00				✓				✓	✓
412.00	7.00		✓		✓				✓	✓
418.00	7.00				✓				✓	✓
425.00	7.00		✓		✓				✓	✓
429.00	7.00				✓				✓	✓
433.00	7.00				✓				✓	✓
437.00	7.00		✓		✓				✓	✓
443.00	7.00				✓				✓	✓
450.00	7.00		✓		✓				✓	✓
456.00	7.00				✓				✓	✓
457.20	7.00									
462.00	7.00		✓		✓				✓	✓
466.00	7.00				✓				✓	✓
470.00	7.00				✓				✓	✓

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
475.00	7.00		✓		✓				✓	
479.00	7.00				✓				✓	
483.00	7.00				✓				✓	
487.00	7.00		✓		✓				✓	
493.00	7.00				✓				✓	
494.67	7.00									
500.00	7.00		✓		✓				✓	
508.00	7.00				✓				✓	
515.00	7.00		✓		✓				✓	
523.00	7.00				✓				✓	
530.00	7.00		✓		✓				✓	
538.00	7.00				✓				✓	
545.00	7.00		✓		✓				✓	
545.47	7.00									
553.00	7.00				✓				✓	
560.00	7.00		✓		✓				✓	
570.00	7.00				✓				✓	
580.00	7.00		✓		✓				✓	
590.00	7.00				✓				✓	
596.27	7.00									
600.00	7.00		✓		✓				✓	
608.00	7.00				✓				✓	
615.00	7.00		✓		✓				✓	
623.00	7.00				✓				✓	
630.00	7.00		✓		✓				✓	
640.00	7.00				✓				✓	
647.07	7.00									
650.00	7.00		✓		✓				✓	
660.00	7.00				✓				✓	
670.00	7.00		✓		✓				✓	
144.10	8.40					✓				
149.10	8.40					✓				
149.50	8.40							✓		
154.10	8.40					✓				
154.50	8.40							✓		
159.10	8.40					✓				
159.50	8.40							✓		
164.10	8.40					✓				
164.50	8.40							✓		
169.10	8.40					✓				
169.50	8.40							✓		
174.10	8.40					✓				
174.50	8.40							✓		
179.10	8.40					✓				
179.50	8.40							✓		
184.10	8.40					✓				

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
184.50	8.40							✓		
189.10	8.40					✓				
189.50	8.40							✓		
194.10	8.40					✓				
194.50	8.40							✓		
199.10	8.40					✓				
199.50	8.40							✓		
204.10	8.40					✓				
204.50	8.40							✓		
208.50	8.40							✓		
209.10	8.40					✓				
209.50	8.40							✓		
214.50	8.40							✓		
219.10	8.40					✓				
219.50	8.40							✓		
224.50	8.40							✓		
229.10	8.40					✓				
229.50	8.40							✓		
234.10	8.40					✓				
234.50	8.40							✓		
239.10	8.40					✓				
239.50	8.40							✓		
244.50	8.40							✓		
249.10	8.40					✓				
249.50	8.40							✓		
254.50	8.40							✓		
259.50	8.40							✓		
264.50	8.40							✓		
269.50	8.40							✓		
274.50	8.40							✓		
279.50	8.40							✓		
284.50	8.40							✓		
289.50	8.40							✓		
294.50	8.40							✓		
299.50	8.40							✓		
314.50	8.40							✓		
319.50	8.40							✓		
334.50	8.40							✓		
339.50	8.40							✓		
354.50	8.40							✓		
359.50	8.40							✓		
374.50	8.40							✓		
384.50	8.40							✓		
399.50	8.40							✓		
475.00	10.00							✓		
524.50	10.00							✓		

Metric Standard Sizes

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
579.00	10.00							✓		
633.50	10.00							✓		
683.00	10.00							✓		
732.50	10.00							✓		

ID (mm)	CS (mm)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	DF T47-501 A
782.00	10.00							✓		
836.50	10.00							✓		
940.50	10.00							✓		
1044.00	10.00							✓		